Subject Index

A

Acrylic based latex blend coatings, mechanical properties of, 376
Acrylonitrile butadiene styrene (ABS)
creep modeling in ABS pipes at variable temperatures, 2407
far-field ultrasonic welding of thermoplastics, effects of shape of energy director on, 157
fracture toughness of using essential work of fracture approach, 2558
isothermal sagging resistance of polypropylene and ABS sheet, 1564
nylon 6/ABS polymer blends: compatibilizer effect, 1635
polycarbonate/ABS systems, properties of and low molecular weight ABS species, 1701
simple rate dependence in finite element analysis, 1190
vibration welding of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175
Adhesion
plasma-pretreated HDPE films, surface modification by graft copolymerization for adhesion improvement with evaporated copper, 1047
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
Adhesives, in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
Air ring, blown film cooling, dual-orifice air-ring design effects, 1611
Alloys, of polycarbonate/ABS systems, 1701
Alumina, degradation of poly(methyl methacrylate) with, 2332
Aluminum, solvent casting for particle/polymer composites, 139
Aluminum nitride, degradation of poly (methyl methacrylate) with, 2332
Amorphous polymers, constitutive equations in nonlinear viscoelasticity of glassy polymers based on concept of traps, 818
Anilinium-DBSA complex, polymerization to PANI-DBSA, 1915
Apparent interpenetrating polymer networks (AIPNs), thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
Aromatic polyethersulfone, kinetics of degradation of, 1114
Aseptic packaging, wall thickness distribution in food containers produced by, 1
Atactic polystyrene (aPS), phase morphology of iPP/aPS blends, effects of SBS on, 2144
Atomic force microscopy (AFM), polyolefin blown films, surface topography and gloss of, 747
Aurum PL 500, amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
Autoclave reactions, modeling of molecular weights for high pressure polymerization of ethylene with ethylene-vinyl acetate, 1480
Automated cavity balancing, for injection molding, 1273
Auxetic polymers
microporous UHMWPE: mechanical properties, 1906
microporous UHMWPE: processing and microstructure, 1894
Axisymmetric flow, elongational viscosity and axisymmetric entrance flow of polymers, 23
Axisymmetric mold, rotational molding with axisymmetric mold, 1758

B

Back-mixed reactor, continuous production of solid polystyrene in, 441
Barrier properties
of blends based on liquid crystalline polymers and polyethylene, 1969
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
Benzonitrile films, plasma-polymerized, preparation and characterization with ultrafast optical Kerr effect, 2551
***N*-Benzylpyrazinium salts,** anhydride-cured epoxy resin with, 2569
Biaxially oriented films
double bubble tubular film extrusion of poly(butylene terephthalate)/poly (ethylene terephthalate) blends, 902
of poly(butylene terephthalate) based thermoplastic elastomer block copolymers, 2299
single and double bubble tubular film extrusion of poly(ethylene naphthalate) (PEN), 1122
Biodegradable materials
flocculants and drag reducing agents based on polysaccharides, 46
new partially biodegradable starch plastic by reactive extrusion, 2086
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
poly(ester-urethane), effect of structure modification on rheological properties, 1655
poly(lactic acid)/gelatinized starch polymer blends, 2539
polylactide, poly(butylene succinate), and poly(butylene succinate-co-adipate), PVT of, 2602
Blending
blending sequence and morphology of poly(ethylene terephthalate)/polycarbonate/E-GMA-MA blends, 786
of immiscible polymers in mixing zone of twin screw extruder: compatibilization and, 1143
phase morphology of iPP/aPS blends, effects of SBS on, 2144
Blends. See Polymer blends
Blend sheets, plasma surface treatment of PCL/PC blend sheets, 2324
Block copolymers, isobutylene based block copolymers, physical properties of, 2182
Blowing agents
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
solubility of HFC and HCFC blowing agents in polystyrene, 1369
in structural polyurethane foams, 2046
Blow molding
extrusion blow molding, numerical simulations of, 1878
thermally stimulated current and blow molding condition in PET bottles, 391
ultrasonic in-line monitoring of coextrusion in, 82
Blown films
cooling of, dual-orifice air-ring design effects, 1611
deformation and elongational behavior of polyethylene melts, 1571
flaring dies to suppress die drool, 2113
LLDPE blown films, tensile properties of, 2385
polyolefin blown films, surface topography and gloss of, 747
Boron nitride, as processing aid for extrusion of polyolefins and fluoropolymers, 179
Bottles
crystallinity of poly(ethylene terephthalate) resins, preforms, and bottles, measurement methods for, 2442
thermally stimulated current and blow

Indexed by Janet Perlman, Southwest Indexing, 610 East Bell Road, Suite 2-157, Phoenix, AZ 85022, (602) 569-7302.

Subject Index

A

Acrylic based latex blend coatings, mechanical properties of, 376
Acrylonitrile butadiene styrene (ABS)
creep modeling in ABS pipes at variable temperatures, 2407
far-field ultrasonic welding of thermoplastics, effects of shape of energy director on, 157
fracture toughness of using essential work of fracture approach, 2558
isothermal sagging resistance of polypropylene and ABS sheet, 1564
nylon 6/ABS polymer blends: compatibilizer effect, 1635
polycarbonate/ABS systems, properties of and low molecular weight ABS species, 1701
simple rate dependence in finite element analysis, 1190
vibration welding of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175
Adhesion
plasma-pretreated HDPE films, surface modification by graft copolymerization for adhesion improvement with evaporated copper, 1047
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
Adhesives, in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
Air ring, blown film cooling, dual-orifice air-ring design effects, 1611
Alloys, of polycarbonate/ABS systems, 1701
Alumina, degradation of poly(methyl methacrylate) with, 2332
Aluminum, solvent casting for particle/polymer composites, 139
Aluminum nitride, degradation of poly (methyl methacrylate) with, 2332
Amorphous polymers, constitutive equations in nonlinear viscoelasticity of glassy polymers based on concept of traps, 818
Anilinium-DBSA complex, polymerization to PANI-DBSA, 1915
Apparent interpenetrating polymer networks (AIPNs), thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
Aromatic polyethersulfone, kinetics of degradation of, 1114
Aseptic packaging, wall thickness distribution in food containers produced by, 1
Atactic polystyrene (aPS), phase morphology of iPP/aPS blends, effects of SBS on, 2144
Atomic force microscopy (AFM), polyolefin blown films, surface topography and gloss of, 747
Aurum PL 500, amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
Autoclave reactions, modeling of molecular weights for high pressure polymerization of ethylene with ethylene-vinyl acetate, 1480
Automated cavity balancing, for injection molding, 1273
Auxetic polymers
microporous UHMWPE: mechanical properties, 1906
microporous UHMWPE: processing and microstructure, 1894
Axisymmetric flow, elongational viscosity and axisymmetric entrance flow of polymers, 23
Axisymmetric mold, rotational molding with axisymmetric mold, 1758

B

Back-mixed reactor, continuous production of solid polystyrene in, 441
Barrier properties
of blends based on liquid crystalline polymers and polyethylene, 1969
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
Benzonitrile films, plasma-polymerized, preparation and characterization with ultrafast optical Kerr effect, 2551
***N*-Benzylpyrazinium salts,** anhydride-cured epoxy resin with, 2569
Biaxially oriented films
double bubble tubular film extrusion of poly(butylene terephthalate)/poly (ethylene terephthalate) blends, 902
of poly(butylene terephthalate) based thermoplastic elastomer block copolymers, 2299
single and double bubble tubular film extrusion of poly(ethylene naphthalate) (PEN), 1122
Biodegradable materials
flocculants and drag reducing agents based on polysaccharides, 46
new partially biodegradable starch plastic by reactive extrusion, 2086
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
poly(ester-urethane), effect of structure modification on rheological properties, 1655
poly(lactic acid)/gelatinized starch polymer blends, 2539
polylactide, poly(butylene succinate), and poly(butylene succinate-co-adipate), PVT of, 2602
Blending
blending sequence and morphology of poly(ethylene terephthalate)/polycarbonate/E-GMA-MA blends, 786
of immiscible polymers in mixing zone of twin screw extruder: compatibilization and, 1143
phase morphology of iPP/aPS blends, effects of SBS on, 2144
Blends. See Polymer blends
Blend sheets, plasma surface treatment of PCL/PC blend sheets, 2324
Block copolymers, isobutylene based block copolymers, physical properties of, 2182
Blowing agents
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
solubility of HFC and HCFC blowing agents in polystyrene, 1369
in structural polyurethane foams, 2046
Blow molding
extrusion blow molding, numerical simulations of, 1878
thermally stimulated current and blow molding condition in PET bottles, 391
ultrasonic in-line monitoring of coextrusion in, 82
Blown films
cooling of, dual-orifice air-ring design effects, 1611
deformation and elongational behavior of polyethylene melts, 1571
flaring dies to suppress die drool, 2113
LLDPE blown films, tensile properties of, 2385
polyolefin blown films, surface topography and gloss of, 747
Boron nitride, as processing aid for extrusion of polyolefins and fluoropolymers, 179
Bottles
crystallinity of poly(ethylene terephthalate) resins, preforms, and bottles, measurement methods for, 2442
thermally stimulated current and blow

Indexed by Janet Perlman, Southwest Indexing, 610 East Bell Road, Suite 2-157, Phoenix, AZ 85022, (602) 569-7302.

molding condition in PET bottles, 391
Boundary element simulations, calculating morphology development of polymer blends in extruders using SIGMA simulation software, 727
Brittle-ductile transition temperature, of polycarbonate, as function of test speed, 256
Brittle failure, of polyoxymethylene, 1306
Bubble growth, growth of a non-ideal gas bubble in solvent-polymer solution, 1350
Bulk polymerization
continuous production of solid polystyrene in back-mixed and linear-flow reactors, 441
viscoelastic predictive laws of linear polyurethane: rheological changes during, 880

C

Cables
flaring dies to suppress die drool during coating, 2113
nondestructive testing of polyaramide cables by longitudinal wave propagation, 1628
recycling of power transmission cable insulated with crosslinked polyethylene (XLPE), 863
Calcium carbonate
mechanical properties and interfacial interaction of calcium carbonate filled HDPE compatibilized with HDPE functionalized by ultraviolet irradiation, 1529
melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
Calcium chloride dihydrate, optical properties and mass transport of methanol in poly(methyl methacrylate), 1025
Carbon black
carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, electrical and morphological studies, 2272
conductive immiscible blends as sensor materials, 1522
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
nonlinear dynamic behavior of rubber compounds, 2227
percolation in carbon black-filled polymeric concrete, 2101
Carbon dioxide
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843
supercritical carbon dioxide, effect on morphology development during blending, 1850
Carboxyl-terminated butadiene acrylonitrile copolymer (CTBN)
liquid rubber-modified Araldite-F epoxies, fracture behavior of, 2288
as toughener for hybrid-particulate composites, 2457
Carboxyl terminated polyamide 12, chain extension by reactive extrusion, 263
Carboxymethylcellulose, flocculants and drag reducing agents based on polysaccharides, 46
Carilon(R), yield modeling of aliphatic polyketone terpolymer in multiaxial stress states, 2317
Carreau-Yasuda model, steady bi-directional drag flow of non-Newtonian liquids in shallow channels, 768
Catalyst residue, Phillips type polyethylene, catalyst residues and chain structures and properties of, 1458
Cavity balance, for injection molding, 1273
Cellulose-thermoplastic composites, effects of coupling agents on oxidation and darkening of cellulosic materials in, 407
Channels
devolatilization in intermeshing corotating twin-screw extruder with square-channel flighted element, 1833
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
mold-cooling process for GAIM parts designed with a top rib on the gas channel, simulation of, 595
production of injection molding tooling with conformal cooling channels, 1232
steady bi-directional drag flow of non-Newtonian liquids in, 768
Chaos single-screw extruder, dynamic modeling and 3-D numerical analysis of, 702
Chemical blowing agents, in structural polyurethane foams, 2046
Chemical stress cracking, of poly (vinylidene fluoride) in sodium hydroxide, chain regularity and, 761
Chemorheological properties
of an epoxy-novolac molding compounds, 418
of polyurethane-unsaturated polyester hybrid system, 690
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
Chitosan films, mechanical properties of, improvement of by addition of poly(ethylene oxide), 1211
Chlorofluorocarbons, solubility of blowing agents in polystyrene, 1369
Civil engineering, in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
Clay
elastomeric joint performance of vitrified clay (VC) pipes, 2217
polymerization of anilinium/DBSA in presence of clay particles, 1915
Closed-cell foams, recycling of poly(ethylene terephthalate) into, 1942
Coatings
acrylic based latex blend coatings, mechanical properties of, 376
polyethylene compounds containing mineral fillers modified by acid coatings, 1953
surface tension of PE polyethylene in thermal coating, 1663
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
water-borne coatings, polymerically stabilized latex for use in, 1469
Co-extrusion
interfacial instability in coextrusion flows of low-density polyethylenes, 1056
thermoplastic starch-polyester laminate sheets by, 499
three-dimensional analysis of coextrusion in single manifold flat die, 2095
ultrasonic in-line monitoring of, 82
Cohesive zone parameters, in tough polyethylene, 1765
Co-injection molding, material distribution and mechanical properties of sandwich molded plate, effect of processing on, 1165
Cold drawing, stress-whitening in polyethylene and polypropylene, 1783
Compact tension test, on core-shell-rubber-modified epoxies, 70
Compatibilization
blending of immiscible polymers in mixing zone of twin screw extruder and, 1143
nylon 6/ABS polymer blends: compatibilizer effect, 1635
polycarbonate/styrene-co-acrylonitrile copolymer blends, PC-PMMA block copolymer as compatibilizer, 2374
poly(ethylene terephthalate)/styrene-butadiene rubber blend, 1216
poly(phenylene oxide)/polyamide-6 blends, 1385
polypropylene/nylon 6 blends, effect of compatibilizers on properties of, 2577
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, 621
Composition analysis
co-injection molding: material distribution of sandwich molded plate, effect of processing on, 1165
dielectric spectroscopy for polymer melt composition measurements, 214
Computer software
3-D simulation of microchip encapsulation process, 776
calculating development of polymer blends in extruders using SIGMA simulation software, 727
coupled thermo-mechanical analysis of plastic thermoforming, 1736
ejection of injection-molded plastic products, 826
Concrete
elastomeric joint performance of fiber-reinforced concrete (FRC) pipes, 2217
in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
percolation in carbon black-filled polymeric concrete, 2101
Conductive materials
conductive immiscible blends as sensor materials, 1522
UHMWPE composites and ceramics based on segregated network concept, 36
Confocal micro-Raman spectroscopy

(CMRS), skin-core structure of poly(ethylene terephthalate) injection molded plates, 95
Conformal passages, production of injection molding tooling with conformal cooling channels, 1232
Constitutive equations
deformation of polyolefins at high temperature and strain rate, 1553
in nonlinear viscoelasticity of glassy polymers based on concept of traps, 818
transverse strain of hyperelastic solids, 1330
Constraint-based optimization, enhanced shielding effectiveness of polymer matrix composite enclosures using, 61
Continuous cooling, crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645
Continuous mixers, numerical simulations of non-isothermal flow in counter-rotating nonintermeshing continuous mixers, 365
Continuous production, of solid polystyrene in back-mixed and linear-flow reactors, 441
Cooling
blown film cooling, dual-orifice air-ring design effects, 1611
crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645
non-isothermal crystallization and multiple melting behavior of syndiotactic polystyrene, 2397
Cooling channels, mold-cooling process for GAIM parts designed with a top rib on the gas channel, simulation of, 595
Copper/HDPE laminates, plasma-pretreated HDPE films, surface modification by graft copolymerization for adhesion improvement with evaporated copper, 1047
Core-shell-rubber-modified epoxies, fracture behavior of, 70
Co-rotating twin screw extruders
3-D numerical simulations of non-isothermal flow in, 357
blending of immiscible polymers in mixing zone of, compatibilization and, 1143
devolatilization performance in, 1833
distributive mixing in, kneading block design and operating conditions and, 1095
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
numerical simulation of pressure and velocity profiles in kneading elements of, 525
reactive extrusion of silanized polyethylene, 2524
Coupling agents
carboxyl terminated polyamide 12 chain extension by reactive extrusion using dioxazoline, 263
effect on oxidation and darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Crack growth, cohesive zone parameters in tough polyethylene, 1765
Crazing, cohesive zone parameters in tough polyethylene, 1765
Creep, modeling of in ABS pipes at variable temperatures, 2407
C-ring test, residual stress in PVC pipe, 2311
Crosslinked polyethylene (XLPE), recycling of power transmission cable insulated with, 863
Crosslinking, of polyolefins through silane grafting, 1534
Crosslinking free radical polymerization, of diallyl isophthalate (DAIM) with CHPC, 573
Crystallinity
crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645
elastic properties of semicrystalline polyethylene and, 330
of poly(ethylene terephthalate) resins, preforms, and bottles, measurement methods for, 2442
Crystallization kinetics
isotactic polypropylene solidification under pressure and high cooling rates, 2430
isothermal and nonisothermal crystallization kinetics of nylon 10 12, 1989
of polyamide 66 in non-isothermal and isothermal conditions, 2058
of poly(ethylene terephthalate), 1263
of polytetrafluoroethylene, 1293
of syndiotactic polystyrene, pre-melting temperature effects, 2397
Curing
anhydride-cured epoxy resin catalyzed by N-benzylpyrazinium salts using NIR, 2569
continuous-power and pulsed-power microwave curing of epoxy resins, 2133
dynamic property dependence on filler particle size of rubber compounds during curing, 118
epoxy/dicyanate blends, cure kinetics, 1429
epoxy-novolac molding compound, 418
ethylene propylene diene rubber (EPDM), 1065
in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
of Kevlar-fiber/epoxy composites, 1725
kinetic parameters for unsaturated polyester-styrene system, 290
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
resin transfer molding (RTM) of high performance epoxy resin, 929
rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
spatial and temporal control of degree of cure, 1157
thermo-chemical response of vinyl-ester resin, 2489
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during, 1281
Cyanate esters, rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
Cyclic olefin copolymer (COC), rubber toughened and optically transparent blends of, 2590

D

Darkening, effect of coupling agents on darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Deformation
creep modeling in ABS pipes at variable temperatures, 2407
elongational behavior of polyethylene melts, 1571
high temperature deformation in polyoxymethylene, essential work of fracture concept and, 985
micro-mechanical mechanisms in fracture of hybrid-particulate composites, 2457
of polyolefins at high temperature and strain rate, 1553
tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
Degradation
of aromatic polyethersulfone, kinetics of, 1114
depth dependent polymer film photodegradation studies, 1747
photodegradation of low density polyethylene films, morphology and, 2007
of poly(methyl methacrylate) with aluminum nitride and alumina, 2332
Devolatilization
growth of a non-ideal gas bubble in solvent-polymer solution, 1350
in intermeshing co-rotating twin-screw extruder with square-channel flighted element, 1833
DGEBA epoxies
continuous-power and pulsed-power microwave curing of, 2133
liquid rubber-modified Araldite-F epoxies, fracture behavior of, 2288
Diallyl isophthalate (DAIM), crosslinking free radical polymerization with CHPC, 573
Dicyanate, epoxy/dicyanate blends, cure kinetics and properties of, 1429
Die drool, flaring dies to suppress, 2113
Dielectric properties, of polyurethane-unsaturated polyester hybrid system, 690
Dielectric spectroscopy
for polymer melt composition measurements, 214
for rheological characterization of molten polymers, 201
Dies
die geometry in profile extrusion, 1085
flaring dies to suppress die drool, 2113
three-dimensional analysis of coextrusion in single manifold flat die, 2095
Differential scanning calorimetry (DSC)
amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
chemorheological analysis of an epoxy-novolac molding compounds, 418

relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
skin-core structure of poly(ethylene terephthalate) injection molded plates, 95
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on, 621
Diffusional properties, of nylon 6/ABS polymer blends: compatibilizer effect, 1635
Dioxazoline, carboxyl terminated polyamide 12 chain extension by reactive extrusion using, 263
Dispersed phase morphology, of impact PP copolymers, 1921
Dissolution/reprecipitation, polyamide recovery by, 979
Distributive mixing, in twin screw extruders, kneading block design and operating conditions and, 1095
Double bubble tubular film extrusion
of poly(butylene terephthalate)/poly (ethylene terephthalate) blends, 902
of poly(ethylene naphthalate) (PEN), 1122
Double-layer flow, from tube-in-orifice spinnerets, numerical simulations of, 715
Draft angle, and surface roughness in stereolithography molds, 1581
Drag reducing agents, based on polysaccharides, 46
Drawing, molar mass of poly(ethylene terephthalate) during ultimate uniaxial drawing, 1596
Draw ratio
melt tearing and ovality in wire coating, 1862
weldability of polypropylene strapping tape, 2037
DRIFT spectroscopy, effect of coupling agents on oxidation and darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Dynamic cure, relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
Dynamic mechanical behavior
effect of process variables in resin transfer molding of high performance epoxy resin on, 935
of Kevlar fiber/epoxy composites, 1725
of polyetherimide (PEI)/dicyanate semi-IPNs, 665
of polypropylene/poly(ethylene vinyl acetate) blends, 2241
of rubber compounds, 2227
Dynamic modeling
of chaos single-screw extruder, 702
of a gas pressure control system for gas-assisted injection molding, 583
of polyetherimide (PEI)/dicyanate semi-IPNs mechanical properties, 665
Dynamic slip, of LLDPE films, 507

E

E-GMA-MA, poly(ethylene terephthalate)/polycarbonate/E-GMA-MA blends, morphology and impact toughness of, 786
Ejection, of injection-molded plastic products, numerical and experimental studies of, 826
Elasticity, nonlinear Poisson function, prediction of using large volumetric strains estimated from finite hyperelastic material law, 1330
Elastic properties
nondestructive testing of polyaramide cables by longitudinal wave propagation, 1628
of semicrystalline polyethylene, effect of crystallinity on, 330
Electrical properties
of carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, 2272
conductive composites of UHMWPE and ceramics based on segregated network concept, 36
of ethylene propylene diene terpolymer (EPDM)/ATH compounds, 857
of fluoro-polyetherimides, 1318
of HIPS/gamma-irradiated UHMWPE/carbon black blends, 1015
Electrical transmission cable, recycling of cable insulated with cross-linked polyethylene (XLPE), 863
Electromagnetic shielding, enhanced shielding effectiveness of polymer matrix composite enclosures using constraint-based optimization, 61
Electronic enclosures, enhanced shielding effectiveness of polymer matrix composite enclosures using constraint-based optimization, 61
Elongational viscosity
deformation and elongational behavior of polyethylene melts, 1571
elongational viscosity and axisymmetric entrance flow of polymers, 23
Emulsion copolymerization, terpolymers of methyl methacrylate, N-phenylmalemide, and styrene, 1226
Encapsulation
3-D simulation of microchip encapsulation process, 776
polymerization of anilinium/DBSA in presence of clay particles, 1915
Energy balance, for metering zone of twin screw extruder, 277
Energy director, effects of shape of energy director on far-field ultrasonic welding of thermoplastics, 157
Environmental stress cracking, of poly(vinylidene fluoride) in sodium hydroxide, chain regularity and, 761
Epolene E-43 wax, effect of on oxidation and darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Epoxy adhesives, in-situ monitoring of mechanical property buildup in using ultrasonics, 656
Epoxy-novolac molding compounds, chemorheological analysis of, 418
Epoxy resins
anhydride-cured epoxy resin with N-benzylpyrazinium salts, 2569
continuous-power and pulsed-power microwave curing of, 2133
epoxy/anhydride system, Kevlar fiber reinforcement of, 1725
epoxy/dicyanate blends, cure kinetics and properties of, 1429
fracture behavior of core-shell-rubber-modified epoxies, 70
liquid rubber-modified Araldite-F epoxies, fracture behavior of, 2288
novolak resin fractionation, photoresist applications and, 2251
resin transfer molding (RTM) of high performance epoxy resin: kinetic studies of cure reaction, 929
resin transfer molding (RTM) of high performance epoxy resin: process variables and physical, static and dynamic mechanical behavior, 935
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
Essential work of fracture (EWF)
fracture toughness of ductile polymers using, 2558
fracture toughness of poly(butylene terephthalate) film by, 796
fracture toughness of polyethylene terephthalate glycol (PETG) film using, 310
high temperature deformation in polyoxymethylene, 985
load rate and fracture toughness of poly(butylene terephthalate), 132
strain rate dependence of work of fracture response of amorphous PEN film, 1809
work of fracture parameters in poly(butylene terephthalate), temperature dependence of, 1435
Ethylene, high pressure autoclave polymerization with ethylene-vinyl acetate, 1480
Ethylene-ethacrylate copolymer (EEA), carbon black filled HDPE systems, ethylene-ethacrylate copolymer and positive temperature coefficient characteristics of, 247
Ethylene-methacrylic acid copolymers, polycarbonate/functionalized-ethylene copolymer blends, processing behavior of, 2482
Ethylene propylene copolymers, impact polypropylene copolymers, dispersed phase morphology of, 1921
Ethylene propylene diene terpolymer (EPDM)
aluminum hydroxide particle size and electrical properties of, 857
blends of polypropylene grafted with MAH and zinc salt of sulfonated EPDM ionomer, 1816
impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
rheological properties of highly filled EPDM, 1065
transverse strain of hyperelastic solids, 1330
Ethylene-vinyl acetate, high pressure autoclave polymerization with ethylene, 1480
Expansivity, amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
Extrusion
boron nitride as processing aid for ex-

trusion of polyolefins and fluoropolymers, 179
calculating morphology development of polymer blends in extruders using SIGMA simulation software, 727
carboxyl terminated polyamide 12 chain extension by reactive extrusion, 263
chaos single-screw extruder, dynamic modeling and 3-D numerical analysis of, 702
crystallization in HDPE extrudates, numerical simulations of, 2356
de-mixing of polymer blends and morphology development of immiscible blends during tube flow, 2342
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
double-layer flow from tube-in-orifice spinnerets, numerical simulations of, 715
extrudate swell and die geometry in profile extrusion, 1085
flaring dies to suppress die drool, 2113
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
plasticating process in single-screw extruder, modeling of, 1074
plastics pulverization technology by, 676
single and double bubble tubular film extrusion of poly(ethylene, 2, 1122
spiral disk extruder for flow visualization, 2262
ultrasonic in-line monitoring of, 82
wire coating, melt tearing and ovality in, 1862

Extrusion blow molding, numerical simulations of, 1878

Extrusion foaming
melt viscoelasticity of PET resins for low density extrusion foaming, 554
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843

F

Failure
pipe pressure and C-ring tests in PVC pipe, 2311
stereolithography injection molding tooling, 1360, 1395
yield modeling of aliphatic polyketone terpolymer in multiaxial stress states, 2317

Far-field ultrasonic welding, effects of shape of energy director on, 157

Fatigue crack growth (FCG)
in polyethylene: tensile/compressive loading, 627
in polyethylene: time "off-load," 635

Fiber reinforced composites
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
resin transfer molding (RTM) of high performance epoxy resin, 929

Fiber-reinforced concrete (FRC), elastomeric joint performance of FRC pipes, 2217

Fibers
non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
syndiotactic polypropylene (sPP) fibers, morphology-mechanical property relations in, 567

Filaments
crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645
melt spinning filaments from PBT based thermoplastic elastomers, 917

Fillers
dynamic property dependence on filler particle size of rubber compounds during curing, 118
polyethylene compounds containing mineral fillers modified by acid coatings, 1953
sago starch/polycaprolactone composites, mechanical properties of, 1298

Film blowing, flaring dies to suppress die drool, 2113

Film casting
nonisothermal 2-D film casting of viscous polymer, 1870
of poly(butylene terephthalate) based thermoplastic elastomer block copolymers, 2299
of poly(ethylene terephthalate), 108

Films
blown film cooling, dual-orifice air-ring design effects, 1611
characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
deformation and elongational behavior of polyethylene melts, 1571
depth dependent polymer film photodegradation studies, 1747
devolatilization in intermeshing co-rotating twin-screw extruder with square-channel flighted element, 1833
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
dynamic slip and nonlinear viscoelasticity, 507
of fluoro-polyetherimides, 1318
fracture toughness of poly(butylene terephthalate) film by essential work method, 796
fracture toughness of polyethylene terephthalate glycol (PETG) film using essential work of fracture analysis, 310
from poly(butylene terephthalate) based thermoplastic elastomer block copolymers, biaxially oriented, 2299
LLDPE blown films, tensile properties of, 2385
mechanical properties of chitosan films, improvement of by addition of poly(ethylene oxide), 1211
overall film-interface geometry factor (OFIGF), 1833
photodegradation of low density polyethylene films, morphology and, 2007
plasma-polymerized benzonitrile films, preparation and characterization with ultrafast optical Kerr effect, 2551
plasma-pretreated HDPE films, surface modification by graft copolymerization, 1047
poly(ethylene naphthalate) film, strain rate dependence of work of fracture response of, 1809
polyolefin blown films, surface topography and gloss of, 747
single and double bubble tubular film extrusion of poly(ethylene naphthalate) (PEN), 1122
solvent casting for particle/polymer composites, 139
surface structure of isotactic polypropylene by x-ray diffraction, 336
of vinyl alcohol-ethylene copolymers, mechanical properties of, 1036
work of fracture parameters in poly(butylene terephthalate), temperature dependence of, 1435

Finite element simulations
double-layer flow from tube-in-orifice spinnerets, numerical simulations of, 715
elastic properties of semicrystalline polyethylene, effect of crystallinity on, 330
elongational viscosity and axisymmetric entrance flow of polymers, 23
of extrusion blow molding, 1878
microchip encapsulation process, 3-D simulation of, 776
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
morphology development of polymer blends in extruders, calculating using SIGMA simulation software, 727
nonisothermal 2-D film casting of viscous polymer, 1870
post-yield behavior of thermoplastics and, 1190
rotational molding with axisymmetric mold, 1758
thermal cycling of, polycarbonate and polypropylene, 1495
of thermoforming, 2232

Fire retardant behavior, phosphorylation of phosphazenes, effect of on, 1177

Flame retardants, polyurethane/poly [bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465

Flocculants, based on polysaccharides, 46

Flow
elongational viscosity and axisymmetric entrance flow of polymers, 23
flow behavior of liquid crystalline polymers (LCPs), morphology and mechanical properties of injection molded parts and, 1643
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
reciprocating screw injection molding, visual barrel system for study of, 1334
spiral disk extruder for flow visualization, 2262
steady bi-directional drag flow of non-

Newtonian liquids in shallow channels, 768
wavelike flow marks in injection molding, 2161
Flow simulations
3-D numerical simulations of non-isothermal flow in co-rotating twin screw extruders, 357
double-layer flow from tube-in-orifice spinnerets, 715
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
mixing mechanism of three-tip kneading block in twin screw extruders, 168
of non-isothermal flow in counter-rotating nonintermeshing continuous mixers, 365
Fluorocarbons, solubility of blowing agents in polystyrene, 1369
Fluoro-polyetherimides, synthesis and properties of, 1318
Fluoropolymers
boron nitride as processing aid for extrusion of, 179
poly(vinylidene fluoride) (PVDF), environmental stress cracking of in sodium hydroxide, 761
UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Foams
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
melt viscoelasticity of PET resins for low density extrusion foaming, 554
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843
recycling of poly(ethylene terephthalate) into closed-cell foams, 1942
solubility of HFC and HCFC blowing agents in polystyrene, 1369
structural polyurethane foams, blowing agents in, 2046
Food packaging, wall thickness distribution in food containers produced by aseptic packaging machine, 1
Fracture behavior
brittle-ductile transition temperature of polycarbonate as function of test speed, 256
of core-shell-rubber-modified epoxies, 70
fracture toughness of ductile polymers using EWF approach, 2558
fracture toughness of poly(butylene terephthalate) film by essential work method, 796
fracture toughness of polyethylene terephthalate glycol (PETG) film using essential work of fracture analysis, 310
high temperature deformation in polyoxymethylene, 985
of hybrid-particulate composites, micro-mechanical deformation mechanisms, 2457
impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
of liquid rubber-modified Araldite-F epoxies, 2288
of poly(butylene terephthalate), 132
rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
work of fracture parameters in poly(butylene terephthalate), temperature dependence of, 1435
Friction, of poly(phenylene sulfide) filled with solid lubricants, 1825
Friction welding, of similar and dissimilar materials, 1931
FTIR spectroscopy, blends of polypropylene grafted with maleic anhydride and zinc salt of sulfonated EPDM ionomer, 1816
Fuzzy multiobjective approach, for minimization of injection molding defects, 956

G

Gas-assisted injection molding
gas pressure control system for, dynamic modeling of, 583
mold-cooling process for GAIM parts designed with a top rib on the gas channel, simulation of, 595
Gas bubble growth, non-ideal gas bubble in solvent-polymer solution, 1350
Gas entrainment, spiral disk extruder for flow visualization, 2262
Gas permeability, of heterogeneous polymer blends, prediction of, 127
Gel fiber drawing, structural changes of gel drawn UHMWPE fibers with kerosene as solvent, 238
Gel spinning, non-Newtonian rheological behavior of semi-dilute UHMWPE solution in, 2414
Glass beads
impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
as toughners for hybrid-particulate composites, 2457
Glass fabric composites
effect of process variables in resin transfer molding of high performance epoxy resin on, 935
rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
Glass fiber-reinforced composites
short-fiber reinforced polypropylene, processing conditions and morphology of extruded filaments, 11
structural reaction injection molding of glass fiber reinforced polyurethane composites, 2205
Glass transition temperature, solid state complexes with metal chlorides from 1st row of d-block, 738
Glassy polymers, constitutive equations in nonlinear viscoelasticity of glassy polymers based on concept of traps, 818
Gloss, of polyolefin blown films, 747
Graft copolymerization, plasma-pretreated HDPE films, surface modification by, 1047
Grafting
new partially biodegradable starch plastic by reactive extrusion, 2086
peroxide-catalyzed swell grafting of maleic anhydride onto polypropylene, 1589
of vinylsilane to polyethylene, kinetics of, 2511, 2524
Graphite, friction and wear behaviors of PPS filled with solid lubricants, 1825
Guar gum, flocculants and drag reducing agents based on polysaccharides, 46

H

Haward-Thackray spring-dashpot model, tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
HDPE
blends of linear and branched polyethylenes, 1132
blends of metallocene polyethylene with polyolefins, 1672
calcium carbonate filled HDPE compatibilized with HDPE functionalized by ultraviolet irradiation, mechanical properties and interfacial interaction of, 1529
carbon black filled HDPE systems, ethylene-ethacrylate copolymer and positive temperature coefficient characteristics of, 247
coupled thermo-mechanical analysis of plastic thermoforming, 1736
healing of stress-whitening in, 1783
laser-induced plasma spectroscopy for plastic identification, 2423
numerical simulations of crystallization in HDPE extrudates, 2356
Phillips type polyethylene, catalyst residues and chain structures and properties of, 1458
plasma-pretreated HDPE films, surface modification by graft copolymerization, 1047
reciprocating screw injection molding, visual barrel system for study of, 1334
tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
ultrasonic in-line monitoring of co-extrusion of HDPE, 82
Healing, of stress-whitening in polyethylene and polypropylene, 1783
Heat shrinkage, thermally stimulated current and blow molding condition in PET bottles, 391
Heat treatment, polytetrafluoroethylene (PTFE) porous membrane, morphology change caused by, 809
Highly oriented yarn (HOY), modification of PET in high-speed melt spinning by blending with PEN, 191
High pressure autoclave polymerization, modeling of molecular weights in for polymerization of ethylene and ethylene-vinyl acetate, 1480
HIPS
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
Hollow fiber membranes, double-layer

flow from tube-in-orifice spinnerets, numerical simulations of, 715
Hoop stress, pipe pressure and C-ring tests in PVC pipe, 2311
Hybrid systems
of hybrid-particulate composites, micro-mechanical deformation mechanisms, 2457
polyurethane-unsaturated polyester system, chemorheological and dielectric study for RTM, 690
Hydrophilic polymers, water transport in crosslinked 2-hydroxyethyl methacrylate (HEMA), 1004
2-Hydroxyethyl methacrylate (HEMA), water transport in crosslinked HEMA, 1004
Hyperelastic solids, transverse strain of, 1330

I

Immiscible polymers
blending of in mixing zone of twin screw extruder: compatibilization and, 1143
carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, electrical and morphological studies, 2272
coextrusion in single manifold flat die, 2095
conductive immiscible blends as sensor materials, 1522
mixing of polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
phase morphology of iPP/aPS blends, effects of SBS on, 2144
polymer blend de-mixing and morphology development during tube flow, 2342
supercritical carbon dioxide, effect on morphology development during blending, 1850
Impact polypropylene copolymers, dispersed phase morphology of, 1921
Impact resistance
of polycarbonate/ABS systems, 1701
of poly(ethylene terephthalate)/styrene-butadiene rubber blend, 1216
Impact strength
impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
of MMA/styrene copolymer molding, 398
optimizing the impact strength of rotationally molded parts, 473
Impact toughness, of poly(ethylene terephthalate)/polycarbonate blends, 786
Infrared thermography, film casting of poly(ethylene terephthalate), 108
Injection molding
of blends of bottle grade PET copolymer and LCP, 1414
cavity balance for, 1273
co-injection molding: material distribution and mechanical properties of sandwich molded plate, 1165
defects in, fuzzy multiobjective approach for minimization of, 956
draft angle and surface roughness effects on stereolithography molds, 1581
ejection of injection-molded plastic products, numerical and experimental studies of, 826
flow behavior of liquid crystalline polymers (LCPs), morphology and mechanical properties of injection molded parts and, 1643
gas pressure control system for gas-assisted injection molding, dynamic modeling of, 583
mold-cooling process for GAIM parts designed with a top rib on the gas channel, simulation of, 595
mold deflection, influence on pressure history and shrinkage, 1692
non-perfect thermal contact in, 1682
optimization of weldline strength in injection molded parts, matrix design for, 1256
of poly(ethylene terephthalate), skin-core morphology, 95
of poly(phenylene oxide)/polyamide-6 blends, 1376, 1385
production of injection molding tooling with conformal cooling channels, 1232
reciprocating screw injection molding, visual barrel system for study of, 1334
stereolithography injection mold inserts, 1360, 1395
structural reaction injection molding of glass fiber reinforced polyurethane composites, 2205
wavelike flow marks in, 2161
In-line measurement
dielectric spectroscopy for polymer melt composition measurements, 214
dielectric spectroscopy for rheological characterization of molten polymers, 201
In-line monitoring
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843
of polyethylene density using NIR spectroscopy, 1107
ultrasonic in-line monitoring of polymer extrusion, 82
In-situ monitoring, of mechanical property buildup in using ultrasonics, 656
Insulators
carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, 2272
electrical properties of EPDM compounds, 857
Interface
mechanically fastened polymer joint, interface studied by contact electrical resistance, 1505
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
Interfacial instability, in coextrusion flows of low-density polyethylenes, 1056
Interfacial interaction, of calcium carbonate filled HDPE compatibilized with HDPE functionalized by ultraviolet irradiation, 1529
Interfacial properties, polycarbonate/styrene-co-acrylonitrile copolymer blends, PC-PMMA block copolymer as compatibilizer, 2374
Intermeshing co-rotating twin screw extruder (ICRTSE)
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
kneading disc section in, numerical simulations of, 892
numerical simulations of pressure and velocity profiles in kneading elements of co-rotating twin screw extruder, 525
with square-channel flighted element, devolatilizing performance of, 1833
Isobutylene, isobutylene based block copolymers, physical properties of, 2182
Isotactic polypropylene (PP)
crystalline forms of as function of cooling rate and uniaxial stress in thin and thick parts, 645
crystallization of, effects of reinforcing fibers on, 2194
fracture behavior of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
peroxide-catalyzed swell grafting of maleic anhydride onto polypropylene, 1589
phase morphology of iPP/aPS blends, effects of SBS on, 2144
solidification under pressure and high cooling rates, 2430
surface structure of by x-ray diffraction, 336
Isothermal coextrusion, three-dimensional analysis of coextrusion in single manifold flat die, 2095
Isothermal crystallization kinetics
of nylon 10 12, 1989
of polyamide 66, 2058
Isothermal kinetic analysis
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
Izod impact strength, of MMA/styrene copolymer molding, 398

J

Joining
elastomeric joint performance of PVC, VC, and FRC pipes, 2217
friction welding of similar and dissimilar materials, 1931
mechanically fastened polymer joint, interface studied by contact electrical resistance, 1505

K

Kapton®, UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Kerosene, structural changes of gel drawn UHMWPE fibers with kerosene as solvent, 238
Kevlar-fiber/epoxy composites, curing, thermal, and dynamic mechanical properties of, 1725
Kinetics
anhydride-cured epoxy resin catalyzed by N-benzylpyrazinium salts using NIR, 2569
crosslinking free radical polymeriza-

tion of diallyl isophthalate (DAIM) wth CHPC, 573
cure reaction of resin transfer molding (RTM) of high performance epoxy resin, 929
degradation of aromatic polyethersulfone, 1114
degradation of poly(methyl methacrylate) with, aluminum nitride and alumina, 2332
epoxy/dicyanate blends, cure kinetics, 1429
kinetic parameters for unsaturated polyester-styrene system, 290
nonisothermal crystallization kinetics of poly(ethylene terephthalate), 1263
numerical analysis of reactive extrusion, 2511, 2524
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
thermo-chemical response of vinyl-ester resin, 2489
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
viscoelastic predictive laws of linear polyurethane: rheological changes during bulk polymerization, 880
Kneading elements
distributive mixing in twin screw extruders, kneading block design and, 1095
mixing mechanism of three-tip kneading block in twin screw extruders, 168
numerical simulations of kneading disc section in twin screw extruder, 892
numerical simulations of pressure and velocity profiles in kneading elements of co-rotating twin screw extruder, 525

L

Lactic acid polymers
poly(ester-urethane), effect of structure modification on rheological properties, 1655
poly(lactic acid)/gelatinized starch polymer blends, 2539
Laminates
copper/HDPE laminates, surface modification of HDPE films by graft copolymerization for adhesion improvement with evaporated copper, 1047
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
thermoplastic starch-polyester laminate sheets by co-extrusion, 499
Laser-induced plasma spectroscopy, for plastic identification, 2423
Latex blends
acrylic based latex blend coatings, mechanical properties of, 376
polymerically stabilized latex for use in water-borne coatings, 1469
LDPE
blends of linear and branched polyethylenes, 1132
deformation and elongational behavior of polyethylene melts, 1571
interfacial instability in coextrusion flows of low-density polyethylenes, 1056
laser-induced plasma spectroscopy for plastic identification, 2423
plastics pulverization technology by extrusion, 676
Light-emitting diodes (LEDs), poly (2,5-di-n-butoxy-p-phenylene vinylene), application to, 1606
Lignocellulosic materials
cellulose-thermoplastic composites, effects of coupling agents on oxidation and darkening of cellulosic materials in, 407
ligno-cellulose fiber/paper blends, polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
Linear-flow reactor, continuous production of solid polystyrene in, 441
Liquid crystalline polymers (LCPs)
barrier properties of blends based on liquid crystalline polymers and polyethylene, 1969
blends of bottle grade PET copolymer and LCP, 1414
flow behavior of melts, morphology and mechanical properties of injection molded parts, 1643
phase transition and thermal stability of Xydar and Zenite series LCPs, 841
Liquid molding composites, thermo-chemical response of vinyl-ester resin, 2489
LLDPE
blends of linear and branched polyethylenes, 1132
blown films, tensile properties of, 2385
deformation and elongational behavior of polyethylene melts, 1571
dynamic slip and nonlinear viscoelasticity, 507
Long chain branching, of polyethylene, rheological properties and, 2279
Loss factor, nonlinear dynamic behavior of rubber compounds, 2227
Lubricants, friction and wear behaviors of PPS filled with solid lubricants, 1825

M

Maleic anhydride
blends of polypropylene grafted with MAH and zinc salt of sulfonated EPDM ionomer, 1816
peroxide-catalyzed swell grafting of onto polypropylene, 1589
polypropylene/nylon 6 blends compatibilized with, mechanical and morphological properties of, 2577
Mathematical modeling
continuous production of solid polystyrene in back-mixed and linear-flow reactors, 441
of extrusion blow molding, 1878
plasticating process in single-screw extruder, 1074
Mat molding RIM, structural reaction injection molding of glass fiber reinforced polyurethane composites, 2205
MDPE, polyethylene compounds containing mineral fillers modified by acid coatings, 1953
Mean residence time analysis, for twin screw extruders, 227
Mechanical fastening, interface in mechanically fastened polymer joint, 1505
Mechanical properties
of acrylic based latex blend coatings, 376
anisotropy for uniaxially and biaxially drawn PET, 1619
of auxetic microporous UHMWPE, 1906
of calcium carbonate filled HDPE compatibilized with HDPE functionalized by ultraviolet irradiation, 1529
characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
of chitosan films, improvement of by addition of poly(ethylene oxide), 1211
of core-shell-rubber-modified epoxies, 70
of deformed polyaniline, 1716
effect of process variables in resin transfer molding of high performance epoxy resin on, 935
of fluoro-polyetherimides, 1318
of injection molded parts, flow behavior of LCPs and, 1643
in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
of isobutylene based block copolymers, 2182
of nylon 6/ABS polymer blends: compatibilizer effect, 1635
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
of polycarbonate/segmented copolyetherester blends, 430
of poly(ethylene terephthalate) during ultimate uniaxial drawing, 1596
of poly(ethylene terephthalate)/polycarbonate/E-GMA-MA blends, 786
polypropylene/nylon 6 blends, effect of compatibilizers on, 2577
of polypropylene/poly(ethylene vinyl acetate) blends, 2241
of polyurethane elastomers containing starch, 1200
of poly(vinylidene fluoride) based polymer electrolytes, 972
of sago starch/polycaprolactone composites, 198
of sandwich molded plate, effect of processing on, 1165
of shape memory polymers (SMP), 2498
of silane grafted and silane grafted water crosslinked polypropylenes, 1534
of SIPNs of poly(vinyl chloride)/thermosetting resin blends, 1405
spatial and temporal control of degree of cure and, 1157
of syndiotactic polypropylene (sPP) fibers, morphology-mechanical property relations in, 567
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on,

621
of vinyl alcohol-ethylene copolymers, 1036
Melt extrusion, extrudate swell and die geometry of profile extrusion, 1085
Melt fracture, boron nitride as processing aid for extrusion of polyolefins and fluoropolymers, 179
Melting, melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
Melt mixing, thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
Melt spinning
melt spinning filaments from PBT based thermoplastic elastomers, 917
modification of PET in high-speed melt spinning by blending with PEN, 191
Melt tearing, in wire coating, 1862
Melt viscoelasticity, of poly(ethylene terephthalate) resins for low density extrusion foaming, 554
Membranes, polytetrafluoroethylene (PTFE) porous membrane, morphology change caused by heat treatment of, 809
Metal-coordinated polymers, solid state complexes with metal chlorides from 1st row of d-block, 738
Metallocene polyethylene
blends with polyolefins, rheological and morphological properties, 1672
boron nitride as processing aid for extrusion of, 179
Methanol, mass transport of in poly(methyl methacrylate), 1025
Methyacrylate/styrene copolymer, Izod impact strength of MMA/styrene copolymer molding, 398
Methyl methacrylate (MMA), terpolymers of methyl methacrylate, N-phenylmalemide, and styrene, emulsion copolymerization of, 1226
Microcellular plastic, microcellular polystyrene by quick-heating process at high temperature, 1510
Microchips, 3-D simulation of microchip encapsulation process, 776
Microstructure
of auxetic microporous UHMWPE, 1894, 1906
of poly(ethylene terephthalate)/styrene-butadiene rubber blend, 1216
of poly(phenylene oxide)/polyamide-6 blends, 1376, 1385
Microwave curing
continuous-power and pulsed-power microwave curing of epoxy resins, 2133
spatial and temporal control of degree of cure and, 1157
Mineral-filled polypropylene materials (PP-PMF), scratch resistance of, 944
Mixing
chaos single-screw extruder, dynamic modeling and 3-D numerical analysis of, 702
de-mixing of polymer blends during tube flow, 2342
distributive mixing in twin screw extruders, kneading block design and operating conditions and, 1095
and melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
modeling domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
numerical simulations of non-isothermal flow in counter-rotating non-intermeshing continuous mixers, 365
of polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
three-tip kneading block in twin screw extruders, mixing mechanism of, 168
Model filled rubber, dynamic property dependence on filler particle size of rubber compounds during curing, 118
Modeling
chaos single-screw extruder, dynamic modeling and 3-D numerical analysis of, 702
chemorheologicial analysis of epoxy-novolac molding compound, 418
continuous production of solid polystyrene in back-mixed and linear-flow reactors, 441
coupled thermo-mechanical analysis of plastic thermoforming, 1736
of creep in ABS pipes at variable temperatures, 2407
crosslinking free radical polymerization of diallyl isophthalate (DAIM) wth CHPC, 573
crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645
of domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
ejection of injection-molded plastic products, 826
elastic properties of semicrystalline polyethylene, effect of crystallinity on, 330
of extrusion blow molding, 1878
film casting of poly(ethylene terephthalate), 108
gas pressure control system for gas-assisted injection molding, dynamic modeling of, 583
growth of a non-ideal gas bubble in solvent-polymer solution, 1350
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
mean residence time analysis for twin screw extruders, 227
mechanical response of shape memory polymers (SMP), 2498
mixing mechanism of three-tip kneading block in twin screw extruders, 168
of molecular weights in industrial autoclave reactors for high pressure polymerization of ethylene and ethylene-vinyl acetate, 1480
morphological modeling, 1796
morphology development of polymer blends in extruders, calculating using SIGMA simulation software, 727
nonisothermal 2-D film casting of viscous polymer, 1870
optical anisotropy in deformed polyaniline, 1716
of peroxide initiated controlled degradation of polypropylene in twin screw extruder, 344
plasticating process in single-screw extruder, 1074
polyetherimide (PEI)/dicyanate semi-IPNs, dynamic mechanical modeling of, 665
of polymer solidification, 1796
of reactive extrusion, 2511, 2524
reciprocating screw injection molding, visual barrel system for study of, 1334
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
of yield in aliphatic polyketone terpolymer in multiaxial stress states, 2317
Moisture, foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
Molar mass
of poly(ethylene terephthalate) during ultimate uniaxial drawing, 1596
tensile deformation of polyethylene, 481
Molding
3-D simulation of microchip encapsulation process, 776
epoxy-novolac molding compound, chemorheological analysis of, 418
fuzzy multiobjective approach for minimization of injection molding defects, 956
Izod impact strength of modified methyl methacrylate/styrene copolymer during, 398
Molecular weight
modeling of peroxide initiated controlled degradation of polypropylene in twin screw extruder, 344
polycarbonate/ABS systems, properties of and low molecular weight ABS species, 1701
Molecular weights, modeling of for high pressure polymerization of ethylene with ethylene-vinyl acetate, 1480
Molten polymer. See Polymer melts
Molybdenum disulfide, friction and wear behaviors of PPS filled with solid lubricants, 1825
Moment balance equations, modeling of molecular weights in industrial autoclave reactors for high pressure polymerization of ethylene and ethylene-vinyl acetate, 1480
Monitoring
in-line monitoring of polyethylene density using NIR spectroscopy, 1107
in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
ultrasonic in-line monitoring of polymer extrusion, 82
Morphological modeling, of polymer solidification, 1796

Morphology
of binary blends of metallocene polyethylene with polyolefins, 1672
blending of immiscible polymers in mixing zone of twin screw extruder: compatibilization and, 1143
of blends of bottle grade PET copolymer and LCP, 1414
calculating development of polymer blends in extruders using SIGMA simulation software, 727
of carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, 2272
of HIPS/gamma-irradiated UHMPE/carbon black blends, 1015
impact polypropylene copolymers, dispersed phase morphology of, 1921
of injection molded parts, flow behavior of LCPs and, 1643
of injection molded poly(phenylene oxide)/polyamide-6 blends, 1376, 1385
phase morphology of iPP/aPS blends, effects of SBS on, 2144
photodegradation of low density polyethylene films and, 2007
of plasma-polymerized benzonitrile films, 2551
of polycarbonate/segmented copolyetherester blends, 430
of poly(ethylene terephthalate)/polycarbonate blends, 786
polymer blends during tube flow, 2342
polypropylene/nylon 6 blends, effect of compatibilizers on, 2577
of polypropylene/poly(ethylene vinyl acetate) blends, 2241
polytetrafluoroethylene (PTFE) porous membrane, change caused by heat treatment of, 809
short-fiber reinforced PP, processing conditions and morphology of extruded filaments, 11
structural changes of gel drawn UHMWPE fibers with kerosene as solvent, 238
supercritical carbon dioxide, effect on during polymer blending, 1850
of syndiotactic polypropylene (sPP) fibers, morphology-mechanical property relations in, 567
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on, 621

N

Nafion®
dielectric spectroscopy for polymer melt composition measurements, 214
dielectric spectroscopy for rheological characterization of molten polymers, 201
Near-infrared spectroscopy, cure and reaction kinetics of anhydride-cured epoxy resin, 2569
NIR spectroscopy
in-line monitoring of polyethylene density using, 1107
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843
Nondestructive testing
in-situ monitoring of mechanical property buildup in epoxy adhesives using ultrasonics, 656
of polyaramide cables by longitudinal wave propagation, 1628
Non-isothermal crystallization kinetics
of nylon 10 12, 1989
of polyamide 66, 2058
of poly(ethylene terephthalate), 1263
of polytetrafluoroethylene, 1293
of syndiotactic polystyrene, pre-melting temperature effects, 2397
Non-isothermal flow
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
numerical simulations of in co-rotating twin screw extruders, 357
numerical simulations of in counter-rotating nonintermeshing continuous mixers, 365
Non-isothermal resin transfer molding, simulation of, 2471
Nonlinear Poisson function, prediction of using large volumetric strains estimated from finite hyperelastic material law, 1330
Nonlinear viscoelasticity
constitutive equations of glassy polymers based on concept of traps, 818
of LLDPE films, 507
Norbornene, rubber toughened and optically transparent blends of cyclic olefin copolymer, 2590
Novolak resins, fractionation of, photoresist applications, 2251
Numerical analysis, of reactive extrusion, 2511, 2524
Numerical simulations
of chaos single-screw extruder, 702
of crystallization in HDPE extrudates, 2356
of double-layer flow from tube-in-orifice spinnerets, 715
of extrusion blow molding, 1878
of kneading disc section in twin screw extruder, 892
of non-isothermal flow in co-rotating twin screw extruders, 357
of non-isothermal flow in counter-rotating nonintermeshing continuous mixers, 365
of pressure and velocity profiles in kneading elements of co-rotating twin screw extruder, 525
Nylon 6
conductive immiscible blends as sensor materials, 1522
mechanically fastened polymer joint, interface studied by contact electrical resistance, 1505
nylon 6/ABS polymer blends: compatibilizer effect, 1635
polypropylene/nylon 6 blends, effect of compatibilizers on properties of, 2577
Nylon 10 12, isothermal and nonisothermal crystallization kinetics of, 1989

O

Optical anisotropy, in deformed polyaniline, 1716
Optical Kerr effect, plasma-polymerized benzonitrile films, characterization by, 2551
Optical properties
of poly(methyl methacrylate), effect of calcium chloride dihydrate on, 1025
rubber toughened and optically transparent blends of cyclic olefin copolymer, 2590
Optimization
cavity balancing for injection molding, 1273
enhanced shielding effectiveness of polymer matrix composite enclosures using constraint-based optimization, 61
fuzzy multiobjective approach for minimization of injection molding defects, 956
reciprocating screw injection molding, visual barrel system for study of, 1334
of weldline strength in injection molded parts, matrix design for, 1256
Ostwald-deWaele law, steady bi-directional drag flow of non-Newtonian liquids in shallow channels, 768
Outdoor insulators, electrical properties of EPDM compounds, 857
Ovality, in wire coating, 1862
Overall film-interface geometry factor, devolatilization in intermeshing co-rotating twin-screw extruder with square-channel flighted element, 1833
Overall film-interface geometry factor (OFIGF), 1833
Oxidation, effect of coupling agents on oxidation of cellulosic materials in cellulose-thermoplastic composites, 407

P

Packaging, wall thickness distribution in food containers produced by aseptic packaging machine, 1
Paperboard, polycaprolactone and poly (hydroxybutyrate-co-valerate) as barrier components in, 143
Particle image velocimetry (PIV), numerical simulations of kneading disc section in twin screw extruders, 892
Particle/polymer composites, solvent casting for, 139
Percolation, in carbon black-filled polymeric concrete, 2101
Permeability, of heterogeneous polymer blends, prediction of gas permeability, 127
Peroxide initiated degradation, of polypropylene in twin screw extruder, modeling of, 344
Peroxide initiated grafting, silane grafting of polypropylene, 1534
Phase mixing, modeling domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
Phase transition, of Xydar and Zenite series LCPs, 841
***N*-Phenylmaleimide (PMI),** terpolymers of methyl methacrylate, N-phenylmalemide, and styrene, emulsion copolymerization of, 1226
Phosphazenes, phosphorylation of, effect on thermal properties and fire retardant behavior of, 1177
Photoacid generators (PAGs), two-

component photoresists containing thermally crosslinkable photoacid generators, 1248
Photodegradation
depth dependent polymer film studies, 1747
of low density polyethylene films, morphology and, 2007
Photoresists
novolak resin fractionation: photoresist applications, 2251
two-component photoresists containing thermally crosslinkable photoacid generators, 1248
Physical blowing agents, in structural polyurethane foams, 2046
Piping
cohesive zone parameters in tough polyethylene, 1765
creep modeling in ABS pipes at variable temperatures, 2407
elastomeric joint performance of PVC, VC, and FRC pipes, 2217
residual stress and pipe pressure and C-ring test, 2311
Plasma-polymerized benzonitrile films, preparation and characterization with ultrafast optical Kerr effect, 2551
Plasma treatment
plasma-pretreated HDPE films, surface modification by graft copolymerization, 1047
plasma surface treatment of PCL/PC blend sheets, 2324
Plasticating process, in single-screw extruder, modeling of, 1074
Plastic/wood-fiber composites, foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
Plate-out, flaring dies to suppress die drool, 2113
Poly(amic acid), characterization of precursor polymer, 320
Polyamides. See also under Nylon
blending of immiscible polymers in mixing zone of twin screw extruder: compatibilization and, 1143
carboxyl terminated polyamide 12 chain extension by reactive extrusion, 263
co-injection molding: material distribution and mechanical properties of sandwich molded plate, 1165
crystallization kinetics of polyamide 66 in non-isothermal and isothermal conditions, 2058
injection molded poly(phenylene oxide)/polyamide-6 blends, morphology of, 1376, 1385
recovery using dissolution/reprecipitation technique, 979
Polyaniline (PANI)
optical anisotropy in deformed PANI, 1716
polymerization of anilinium/DBSA in presence of clay particles, 1915
Polyaramides, nondestructive testing of polyaramide cables by longitudinal wave propagation, 1628
Polyarylene ether benzimidazole (PAEBI), UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Poly[bis(carboxylatophenoxy)phosphazene]/polyurethane blends, as flame-retardant materials, 465
Polyblends, characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
Poly(butylene succinate), PVT of, 2602
Poly(butylene succinate-co-adipate), PVT of, 2602
Poly(butylene terephthalate)
co-injection molding: material distribution and mechanical properties of sandwich molded plate, 1165
deformation rate dependence of work of fracture parameters in, 132
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
fracture toughness of PBT film by essential work method, 796
melt spinning filaments from PBT based thermoplastic elastomers, 917
PBT based thermoplastic elastomer block copolymers, biaxially oriented films from, 2299
work of fracture parameters in, temperature dependence of, 1435
Polycaprolactam, recovery using dissolution/reprecipitation technique, 979
Polycaprolactone
as barrier component in pulp fiber/polymer laminates and blends, 143
plasma surface treatment of PCL/PC blend sheets, 2324
sago starch/polycaprolactone composites, mechanical properties of, 1298
thermoplastic starch-polyester laminate sheets by co-extrusion, coating with, 499
Polycarbonate
brittle-ductile transition temperature as function of test speed, 256
plasma surface treatment of PCL/PC blend sheets, 2324
polycarbonate/ABS systems, properties of and low molecular weight ABS species, 1701
polycarbonate/functionalized-ethylene copolymer blends, processing behavior of, 2482
polycarbonate/segmented copolyetherester blends, morphology and mechanical properties of, 430
polycarbonate/styrene-co-acrylonitrile copolymer blends, PC-PMMA block copolymer as compatibilizer, 2374
poly(ethylene terephthalate)/polycarbonate blends, morphology and impact toughness of, 786
simple rate dependence in finite element analysis, 1190
thermal cycling of, 1495
vibration welding of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175
Poly(2,5-di-*n*-butoxy-*p*-phenylene vinylene), for light-emitting diodes, 1606
Polydispersity, of polyethylene, rheological properties and, 2279
Polyesters
polyurethane-unsaturated polyester hybrid system, chemorheological and dielectric study for RTM, 690
polyester/starch laminate sheets, by co-extrusion, preparation and properties of, 499
polyester-styrene system, kinetic parameters for, 290
Poly(ester-urethanes), rheological properties of, structure modification and, 1655
Polyetherimide (PEI), dynamic mechanical modeling of polyetherimide (PEI)/dicyanate semi-IPNs, 665
Polyethersulfones (PES), degradation of aromatic polyethersulfone, kinetic study of, 1114
Polyethylene
auxetic microporous UHMWPE: mechanical properties, 1906
auxetic microporous UHMWPE: processing and microstructure, 1894
barrier properties of blends based on liquid crystalline polymers and polyethylene, 1969
blends of linear and branched polyethylenes, 1132
blends of metallocene polyethylene with polyolefins, 1672
boron nitride as processing aid for extrusion of metallocene polyethylene, 179
calcium carbonate filled HDPE compatibilized with HDPE functionalized by ultraviolet irradiation, mechanical properties and interfacial interaction of, 1529
cohesive zone parameters in tough polyethylene, 1765
conductive composites of UHMWPE and ceramics based on segregated network concept, 36
coupled thermo-mechanical analysis of plastic thermoforming, 1736
deformation and elongational behavior of polyethylene melts, 1571
dielectric spectroscopy for rheological characterization of molten polymers, 201
dynamic slip and nonlinear viscoelasticity, 507
far-field ultrasonic welding of thermoplastics, effects of shape of energy director on, 157
fatigue crack growth in: tensile/compressive loading, 627
fatigue crack growth in polyethylene: time "off-load," 635
fracture toughness of ductile polymers using essential work of fracture approach, 2558
grafting of vinylsilane to, kinetics of, 2511, 2524
healing of stress-whitening at or below room temperature, 1783
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
in-line monitoring of polyethylene density using NIR spectroscopy, 1107
interfacial instability in coextrusion flows of low-density polyethylenes, 1056
laser-induced plasma spectroscopy for plastic identification, 2423
LLDPE blown films, tensile properties

of, 2385
melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
mixing of PE/PS polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
numerical simulations of crystallization in HDPE extrudates, 2356
Phillips type polyethylene, catalyst residues and chain structures and properties of, 1458
photodegradation of low density polyethylene films, morphology and, 2007
plasma-pretreated HDPE films, surface modification by graft copolymerization, 1047
plastics pulverization technology by extrusion, 676
polyethylene compounds containing mineral fillers modified by acid coatings, 1953
polyolefin blown films, surface topography and gloss of, 747
reciprocating screw injection molding, visual barrel system for study of, 1334
recycling of power transmission cable insulated with crosslinked polyethylene (XLPE), 863
rheological properties of, long chain branching and polydispersity effects, 2279
semicrystalline, effect of on elastic properties of, 330
structural changes of gel drawn UHMWPE fibers with kerosene as solvent, 238
surface tension of PE used in thermal coating, 1663
tensile deformation of, effect of strain rate, temperature, and molecular mass on, 481
ultrasonic in-line monitoring of co-extrusion of HDPE, 82
Poly(ethylene naphthalate) (PEN)
modification of PET in high-speed melt spinning by blending with PEN, 191
single and double bubble tubular film extrusion of, 1122
strain rate dependence of work of fracture of an amorphous PEN film, 1809
transesterification in triphenyl phosphite additivated-poly(ethylene terephthalate)/poly(ethylene naphthalate) blends, 1777
Poly(ethylene oxide)
improvement of mechanical properties of chitosan films by addition of, 1211
water-borne coatings, polymerically stabilized latex for use in, 1469
Poly(ethylene terephthalate) (PET)
blends of bottle grade PET copolymer and LCP, 1414
carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, electrical and morphological studies, 2272
crystallinity of PET resins, preforms, and bottles, measurement methods for, 2442
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
film casting of, 108
injection molding of, skin-core morphology, 95
laser-induced plasma spectroscopy for plastic identification, 2423
mechanical and thermal anisotropy for uniaxially and biaxially drawn PET, 1619
melt viscoelasticity of PET resins for low density extrusion foaming, 554
modification of PET in high-speed melt spinning by blending with PEN, 191
molar mass of during ultimate uniaxial drawing, 1596
nonisothermal crystallization kinetics of, 1263
poly(ethylene terephthalate)/polycarbonate blends, morphology and impact toughness of, 786
poly(ethylene terephthalate)/styrene-butadiene rubber blend, properties and processing of, 1216
recycling of into closed-cell foams, 1942
thermally stimulated current and blow molding condition in PET bottles, 391
transesterification in triphenyl phosphite additivated-poly(ethylene terephthalate)/poly(ethylene naphthalate) blends, 1777
Polyethylene terephthalate glycol (PETG), fracture toughness of PETG film using essential work of fracture analysis, 310
Poly(ethylene vinyl acetate), polypropylene/poly(ethylene vinyl acetate) blends, morphological and mechanical properties of, 2241
Polyhexamethyleneadipamide, recovery using dissolution/reprecipitation technique, 979
Polyhydroxyamide, characterization of precursor polymer, 320
Poly(hydroxybutyrate-co-valerate), as barrier component in pulp fiber/polymer laminates and blends, 143
Polyimides
amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
fluoro-polyetherimides, synthesis and properties of, 1318
UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Polyisoprene, dielectric spectroscopy for rheological characterization of molten polymers, 201
Polyketones, yield modeling of aliphatic polyketone terpolymer in multiaxial stress states, 2317
Poly(lactic acid)/gelatinized starch blends, biodegradable polymer blends, 2539
Polylactide, PVT of, 2602
Poly(L-lysine), solid state complexes of with metal chlorides from 1st row of d-block, 738
Polymer blends
acrylic based latex blend coatings, mechanical properties of, 376
amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
barrier properties of blends based on liquid crystalline polymers and polyethylene, 1969
blending of immiscible polymers in mixing zone of twin screw extruder: compatibilization and, 1143
blending sequence and morphology of, 786
blends of polypropylene grafted with MAH and zinc salt of sulfonated EPDM ionomer, 1816
of bottle grade PET copolymer and LCP, 1414
conductive immiscible blends as sensor materials, 1522
de-mixing and morphology development of immiscible blends during tube flow, 2342
dispersed phase morphology of impact PP copolymers, 1921
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
heterogeneous, prediction of gas permeability of, 127
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
of linear and branched polyethylenes, 1132
of metallocene polyethylene with polyolefins, 1672
mixing of polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
modeling domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
modification of PET in high-speed melt spinning by blending with PEN, 191
morphology development of in extruders using SIGMA simulation software, 727
nylon 6/ABS polymer blends: compatibilizer effect, 1635
phase morphology of iPP/aPS blends, effects of SBS on, 2144
plasma surface treatment of PCL/PC blend sheets, 2324
polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in pulp fiber/polymer laminates and blends, 143
of polycarbonate/ABS systems, 1701
polycarbonate/functionalized-ethylene copolymer blends, processing behavior of, 2482
polycarbonate/segmented copolyetherester blends, morphology and mechanical properties of, 430
polycarbonate/styrene-co-acrylonitrile copolymer blends, PC-PMMA block copolymer as compatibilizer, 2374
poly(ethylene terephthalate)/polycar-

bonate blends, morphology and impact toughness of, 786
poly(ethylene terephthalate)/styrene-butadiene rubber blend, properties and processing of, 1216
poly(lactic acid)/gelatinized starch polymer blends, 2539
poly(phenylene oxide)/polyamide-6 blends, injection molded, 1376, 1385
polypropylene/nylon 6 blends, effect of compatibilizers on properties of, 2577
polypropylene/poly(ethylene vinyl acetate) blends, morphological and mechanical properties of, 2241
polyurethane/poly[bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465
single and double bubble tubular film extrusion of poly(ethylene naphthalate) (PEN), 1122
SIPNs of poly(vinyl chloride)/thermosetting resin blends, 1405
supercritical carbon dioxide, effect on morphology development during polymer blending, 1850
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on morphology and mechanical properties of, 621
triphenyl phosphite additivated-poly(ethylene terephthalate)/poly(ethylene naphthalate) blends, transesterification in, 1777
vibration welding of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175

Polymer diallyl isophthalate (DAIP), crosslinking free radical polymerization of diallyl isophthalate (DAIM) wth CHPC, 573

Polymer electrolytes, poly(vinylidene fluoride) based polymer electrolytes, mechanical properties of, 972

Polymeric concrete, percolation in carbon black-filled polymeric concrete, 2101

Polymeric flow, elongational viscosity and axisymmetric entrance flow of polymers, 23

Polymerization, crosslinking free radical polymerization of diallyl isophthalate (DAIM) wth CHPC, 573

Polymer liquid crystals (PLCs), amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490

Polymer melts
deformation and elongational behavior of polyethylene melts, 1571
dielectric rheological measurements of, 201
dielectric spectroscopy for polymer melt composition measurements, 214
dynamic slip and nonlinear viscoelasticity, 507
energy balance for metering zone of twin screw extruders, 277
extrudate swell and die geometry in profile extrusion, 1085
growth of a non-ideal gas bubble in solvent-polymer solution, 1350
melt viscoelasticity of PET resins for low density extrusion foaming, 554

Poly(methyl methacrylate) (PMMA)
carbon black filled poly(ethylene terephthalate)/poly(methyl methacrylate) blends, electrical and morphological studies, 2272
degradation of with aluminum nitride and alumina, 2332
friction welding of similar and dissimilar materials, 1931
optical properties and mass transport of methanol in, effect of calcium chloride dihydrate on, 1025
polystyrene/PMMA blends, effect of supercritical carbon dioxide on morphology development during blending, 1850
steady bi-directional drag flow of non-Newtonian liquids in shallow channels, 768

Polynitriles, plasma-polymerized benzonitrile films, preparation and characterization with ultrafast optical Kerr effect, 2551

Polyolefins
blends of metallocene polyethylene with polyolefins, 1672
boron nitride as processing aid for extrusion of, 179
crosslinking through silane grafting, 1534
deformation of at high temperature and strain rate, 1553
polyolefin blown films, surface topography and gloss of, 747
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000

Polyoxymethylene
high temperature deformation in polyoxymethylene, essential work of fracture concept and, 985
high temperature slow crack growth, 1306

Poly(phenylene oxide)/polyamide-6 blends, injection molded, morphology of, 1376, 1385

Poly(phenylene sulfide) (PPS), friction and wear behaviors of PPS filled with solid lubricants, 1825

Polyphosphazenes
polyurethane/poly[bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465
thermal properties and fire retardant behavior of, 1177

Polypropylene (PP)
blends of polypropylene grafted with MAH and zinc salt of sulfonated EPDM ionomer, 1816
conductive immiscible blends as sensor materials, 1522
crystalline forms of isotactic polypropylene (PP) as function of cooling rate and uniaxial stress in thin and thick parts, 645
crystallization of, effects of reinforcing fibers on, 2194
fracture behavior of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
healing of stress-whitening at or below room temperature, 1783
impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
impact polypropylene copolymers, dispersed phase morphology of, 1921
isotactic polypropylene solidification under pressure and high cooling rates, 2430
isothermal sagging resistance of polypropylene and ABS sheet, 1564
laser-induced plasma spectroscopy for plastic identification, 2423
mineral-filled polypropylene materials (PP-PMF), scratch resistance of, 944
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
peroxide-catalyzed swell grafting of maleic anhydride onto polypropylene, 1589
peroxide initiated controlled degradation in twin screw extruder, modeling of, 344
phase morphology of iPP/aPS blends, effects of SBS on, 2144
polypropylene/nylon 6 blends, effect of compatibilizers on properties of, 2577
polypropylene/poly(ethylene vinyl acetate) blends, morphological and mechanical properties of, 2241
short-fiber reinforced polypropylene: processing conditions and morphology of extruded filaments, 11
silane grafting and moisture crosslinking, 1534
simple rate dependence in finite element analysis, 1190
surface structure of isotactic polypropylene by x-ray diffraction, 336
syndiotactic polypropylene (sPP) fibers, morphology-mechanical property relations in, 567
thermal cycling of, 1495
weldability of polypropylene strapping tape, 2037

Poly(propylene carbonates), copolymerization of carbon dioxide and propylene oxide using zinc glutarate derivatives as catalysts, 1542

Polysaccharides
chitosan films, improvement of mechanical properties of by addition of poly(ethylene oxide), 1211
flocculants and biodegradable drag reducing agents based on, 46

Polystyrene
continuous production of solid polystyrene in back-mixed and linear-flow reactors, 441
dynamic property dependence on filler particle size of rubber compounds during curing, 118
extrudate swell and die geometry in profile extrusion, 1085
foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
laser-induced plasma spectroscopy for plastic identification, 2423

microcellular plastic generation by quick-heating process at high temperature, 1510
mixing of PE/PS polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
new partially biodegradable starch plastic by reactive extrusion, 2086
non-isothermal crystallization and multiple melting behavior of, 2397
phase morphology of iPP/aPS blends, effects of SBS on, 2144
polystyrene/PMMA blends, effect of supercritical carbon dioxide on morphology development during blending, 1850
solubility of HFC and HCFC blowing agents in, 1369
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on morphology and mechanical properties of, 621
water-borne coatings, polymerically stabilized latex for use in, 1469
Poly(styrene-b-butadiene-b-styrene) (SBS), phase morphology of iPP/aPS blends, effects of SBS on, 2144
Polytetrafluoroethylene (PTFE)
crystallization kinetics of, 1293
friction and wear behaviors of PPS filled with solid lubricants, 1825
PTFE porous membrane, morphology change caused by heat treatment of, 809
Polyurethane
isothermal mechanical response of shape memory polymers (SMP), 2498
polyurethane elastomers containing starch, structure-property relationship in, 1200
polyurethane/poly[bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465
polyurethane-unsaturated polyester hybrid system, chemorheological and dielectric study for RTM, 690
structural polyurethane foams, blowing agents in, 2046
structural reaction injection molding of glass fiber reinforced polyurethane composites, 2205
thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
thermoplastic polyurethane (TPU)/poly(styrene-co-acrylonitrile (SAN) blends, effect of compatibilizer on morphology and mechanical properties of, 621
viscoelastic predictive laws of linear polyurethane: rheological changes during bulk polymerization, 880
Poly(vinyl chloride) (PVC)
elastomeric joint performance of PVC pipes, 2217
friction welding of similar and dissimilar materials, 1931
laser-induced plasma spectroscopy for plastic identification, 2423
modeling domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
residual stress and pipe pressure and C-ring test, 2311
SIPNs of poly(vinyl chloride)/thermosetting resin blends, 1405
Poly(vinylidene fluoride) (PVDF)
environmental stress cracking of in sodium hydroxide, chain regularity and, 761
PVDF based polymer electrolytes, mechanical properties of, 972
Porous membranes, polytetrafluoroethylene (PTFE) porous membrane, morphology change caused by heat treatment of, 809
Positive temperature coefficient, carbon black filled HDPE systems, ethylene-ethacrylate copolymer and positive temperature coefficient characteristics of, 247
Post-consumer plastics, laser-induced plasma spectroscopy for plastic identification, 2423
Post-yield behavior, simple rate dependence in finite element analysis, 1190
Power transmission cable, recycling of cable insulated with crosslinked polyethylene (XLPE), 863
Precursor polymers, characterization of polyhydroxyamide and poly(amic acid), 320
Pre-melting temperature, non-isothermal crystallization and multiple melting behavior of syndiotactic polystyrene, 2397
Process variables
fuzzy multiobjective approach for minimization of injection molding defects, 956
material distribution and mechanical properties of sandwich molded plate, 1165
product properties in resin transfer molding of high performance epoxy resin and, 935
Profile extrusion, extrudate swell and die geometry in, 1085
Pulp/polymer laminates and blends, polycaprolactone and poly(hydroxybutyrate-co-valerate) as barrier components in, 143
Pultrusion, relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
Pulverization, plastics pulverization technology by extrusion, 676
PVT, of polylactide, poly(butylene succinate), and poly(butylene succinate-co-adipate), 2602

Q

Quick heating, polystyrene microcellular plastic generation by, 1510

R

Rate effect, on fracture behavior of core-shell-rubber-modified epoxies, 70
Reactive extrusion
carboxyl terminated polyamide 12 chain extension by, 263
new partially biodegradable starch plastic by reactive extrusion, 2086
numerical analysis of, 2511, 2524
peroxide initiated controlled degradation of polypropylene in twin screw extruder, modeling of, 344
Reciprocating screw injection molding, visual barrel system for study of, 1334
Recycling
laser-induced plasma spectroscopy for plastic identification, 2423
polyamides, recovery using dissolution/reprecipitation technique, 979
polycarbonate/functionalized-ethylene copolymer blends, processing behavior of, 2482
of poly(ethylene terephthalate) into closed-cell foams, 1942
of power transmission cable insulated with crosslinked polyethylene (XLPE), 863
Reinforcement
effect on crystallization of polypropylene, 2194
effect on oxidation and darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Relaxation, in polycarbonate and polypropylene, 1495
Residual stress, pipe pressure and C-ring tests in PVC pipe, 2311
Resin transfer molding (RTM)
of high performance epoxy resin: kinetics of cure reaction, 929
of high performance epoxy resin: process variables and physical, static and dynamic mechanical behavior, 935
non-isothermal, simulation of, 2471
polyurethane-unsaturated polyester hybrid system, chemorheological and dielectric study for, 690
vacuum assisted resin transfer molding, spatial and temporal control of degree of cure, 1157
Resistivity, of HIPS/gamma-irradiated UHMWPE/carbon black blends, 1015
Rheological properties
of binary blends of metallocene polyethylene with polyolefins, 1672
of biodegradable poly(ester-urethane), structure modification and, 1655
of blends of bottle grade PET copolymer and LCP, 1414
boron nitride as processing aid for extrusion of polyolefins and fluoropolymers, 179
dielectric rheological measurements of molten polymers, 201
dynamic property dependence on filler particle size of rubber compounds during curing, 118
of emulsion copolymers of methyl methacrylate, N-phenylmalemide, and styrene, 1226
of epoxy-novolac molding compounds, 418
of highly filled ethylene propylene diene rubber compounds, 1065
of isobutylene based block copolymers, 2182
and isothermal sagging resistance of polypropylene and ABS sheet, 1564
of linear and branched polyethylenes, 1132
melt viscoelasticity of PET resins for low density extrusion foaming, 554
nonlinear viscoelasticity of LLDPE

films, 507
non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
of polycarbonate/ABS systems, 1701
of polyethylene, long chain branching and polydispersity effects, 2279
of polymerically stabilized latex for use in water-borne coatings, 1469
of polyurethane-unsaturated polyester hybrid system, 690
of shape memory polymers (SMP), 2498
short-fiber reinforced PP, processing conditions and morphology of extruded filaments, 11
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
viscoelastic predictive laws of linear polyurethane: rheological changes during bulk polymerization, 880
Rigid-rod polybenzoxazoles (PBOs), characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
Rotational molding
axisymmetric mold, 1758
optimizing the impact strength of rotationally molded parts, 473
Rotocasting (rotomolding), with axisymmetric mold, 1758
Roughness
of polyolefin blown films, 747
on stereolithography molds, 1581
Rubber
dynamic property dependence on filler particle size of rubber compounds during curing, 118
fracture behavior of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
liquid rubber-modified Araldite-F epoxies, fracture behavior of, 2288
nonlinear dynamic behavior of rubber compounds, 2227
poly(ethylene terephthalate)/styrene-butadiene rubber blend, properties and processing of, 1216
rheological properties of highly filled ethylene propylene diene rubber compounds, 1065
rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
rubber-modified epoxy resins, fracture behavior of core-shell-rubber-modified epoxies, 70
rubber toughened and optically transparent blends of cyclic olefin copolymer, 2590
as toughener for hybrid-particulate composites, 2457

S

Sagging, isothermal sagging resistance of polypropylene and ABS sheet, 1564
Sago starch/polycaprolactone composites, mechanical properties of, 198
Sandwich injection molding, material distribution and mechanical properties of sandwich molded plate, effect of processing on, 1165
Scratch resistance, of mineral-filled polypropylene materials (PP-PMF), 944
Screw extrusion
mixing mechanism of three-tip kneading block in twin screw extruders, 168
steady bi-directional drag flow of non-Newtonian liquids in shallow channels, 768
Segmented copolyetherester (CPEE), polycarbonate/segmented copolyetherester blends, morphology and mechanical properties of, 430
Segregated networks, conductive composites of UHMWPE and ceramics based on segregated network concept, 36
Semicrystalline polyethylene, effect of crystallinity on elastic properties of, 330
Semi-interpenetrating networks (SIPNs)
modeling domain mixing in SIPNs of poly(vinyl chloride) and cross-linked thermosets, 2027
of polyetherimide (PEI)/dicyanate semi-IPNs, 665
of poly(vinyl chloride)/thermosetting resin blends, 1405
Sensors
conductive immiscible blends as sensor materials, 1522
dielectric spectroscopy for rheological characterization of molten polymers, 201
in-line monitoring of polyethylene density using NIR spectroscopy, 1107
on-line NIR sensing of carbon dioxide concentration for extrusion foaming processes, 1843
Set, in polycarbonate and polypropylene, 1495
Sewer pipe, elastomeric joint performance of PVC, VC, and FRC pipes, 2217
Shallow channels, steady bi-directional drag flow of non-Newtonian liquids in, 768
Shape memory polymers (SMP), isothermal mechanical response of, 2498
Shear flow viscosity, non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
Shear viscosity, elongational viscosity and axisymmetric entrance flow of polymers, 23
Sheets, plasma surface treatment of PCL/PC blend sheets, 2324
Shielding, enhanced shielding effectiveness of polymer matrix composite enclosures using constraint-based optimization, 61
Short-fiber reinforced polypropylene, processing conditions and morphology of extruded filaments, 11
Shrinkage
mold deflection and, 1692
thermally stimulated current and blow molding condition in PET bottles, 391
SIGMA simulation software, calculating morphology development of polymer blends in extruders using, 727
Silane coupling agents, effect of on oxidation and darkening of cellulosic materials in cellulose-thermoplastic composites, 407
Silane grafting, peroxide initiated silane grafting of polypropylene, 1534
Simulations
chaos single-screw extruder, dynamic modeling and 3-D numerical analysis of, 702
coupled thermo-mechanical analysis of plastic thermoforming, 1736
crystallization in HDPE extrudates, numerical simulations of, 2356
double-layer flow from tube-in-orifice spinnerets, numerical simulation of, 715
elongational viscosity and axisymmetric entrance flow of polymers, 23
extrusion blow molding, overall numerical simulation of, 1878
kneading disc section in twin screw extruder, numerical simulations of, 892
microchip encapsulation process, 3-D simulation, 776
mixing analysis of reactive polymer flow in single-screw extruder channel, 992
mixing mechanism of three-tip kneading block in twin screw extruders, 168
mold-cooling process for GAIM parts designed with a top rib on the gas channel, simulation of, 595
morphology development of polymer blends in extruders, calculating using SIGMA simulation software, 727
nonisothermal 2-D film casting of viscous polymer, 1870
non-isothermal flow in co-rotating twin screw extruders, 357
non-isothermal flow in counter-rotating nonintermeshing continuous mixers, 365
of non-isothermal resin transfer molding, 2471
pressure and velocity profiles in kneading elements of co-rotating twin screw extruder, numerical simulation of, 525
reactive extrusion process, 2524
rotational molding with axisymmetric mold, 1758
structural polyurethane foams, blowing agents in, 2046
thermoforming, 3-D simulation, 2232
Single bubble tubular film extrusion, of poly(ethylene 2, 6-naphthalate) (PEN), 1122
Single layer extrusion die, three-dimensional analysis of coextrusion in single manifold flat die, 2095
Single-screw extruder
dynamic modeling and 3-D numerical analysis of chaos single-screw extruder, 702
melting mechanism of starved-fed single-screw extruder for calcium carbonate filled polyethylene, 2104
mixing analysis of reactive polymer flow in single-screw extruder

channel, 992
modeling of plasticating process in, 1074
Sintering, conductive composites of UHMWPE and ceramics based on segregated network concept, 36
Skin-core structure, of poly(ethylene terephthalate) injection molded plates, 95
Slip, of LLDPE films, 507
Slow crack growth (SCG)
fatigue crack growth in polyethylene: time "off-load," 635
high temperature slow crack growth in polyoxymethylene, 1306
in polyethylene: tensile/compressive loading, 627
Software. See Computer software
Solidification
isotactic polypropylene solidification under pressure and high cooling rates, 2430
morphological modeling of, 1796
Solid polystyrene, continuous production of in back-mixed and linear-flow reactors, 441
Solid state complexes, with metal chlorides from 1st row of d-block, 738
Solid-state shear pulverization, efficient mixing of polymer blends of extreme viscosity ratio, 1447
Solubility, of HFC and HCFC blowing agents in polystyrene, 1369
Solvent casting, for particle/polymer composites, 139
Solvent-polymer solution, growth of a non-ideal gas bubble in, 1350
Solvent transport
methanol in poly(methyl methacrylate), effect of calcium chloride dihydrate on, 1025
water transport in crosslinked 2-hydroxyethyl methacrylate (HEMA), 1004
Sound modulus, nondestructive testing of polyaramide cables by longitudinal wave propagation, 1628
Space applications, UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Spectroscopic ellipsometry, UV irradiated space application polymers, characterization of by, 300
Spinning
flaring dies to suppress die drool, 2113
melt spinning filaments from PBT based thermoplastic elastomers, 917
non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
Starch
as crosslinker in polyurethane elastomers, structure-property relationship, 1200
flocculants and drag reducing agents based on polysaccharides, 46
partially biodegradable starch plastic by reactive extrusion, 2086
poly(lactic acid)/gelatinized starch polymer blends, 2539
sago starch/polycaprolactone composites, mechanical properties of, 198
starch-polyester laminate sheets by co-extrusion, preparation and properties of, 499
Static properties, effect of process variables in resin transfer molding of high performance epoxy resin on, 935
Stereolithography
draft angle and surface roughness effects on stereolithography molds, 1581
injection mold inserts by, 1360, 1395
Strain rate
deformation of polyolefins and, 1553
fracture toughness of ductile polymers using EWF approach, 2558
post-yield behavior of thermoplastics and application to finite element analysis, 1190
tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
of vinyl alcohol-ethylene copolymers, 1036
work of fracture response of poly(ethylene naphthalene) film, dependence on, 1809
Strapping tape, weldability of polypropylene strapping tape, 2037
Stress cracking, of poly(vinylidene fluoride) in sodium hydroxide, chain regularity and, 761
Stress/strain behavior
nonlinear Poisson function, prediction of using large volumetric strains estimated from finite hyperelastic material law, 1330
tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
of vinyl alcohol-ethylene copolymers, 1036
Stress-whitening, in polyethylene and polypropylene, healing of, 1783
Structural reaction injection molding (SRIM), of glass fiber reinforced polyurethane composites, 2205
Structure-property relationship
in poly(ester-urethanes), 1655
in polyurethane elastomers containing starch as crosslinker, 1200
thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer, 2072
Styrene, emulsion copolymers of methyl methacrylate, N-phenylmalemide, and styrene, 1226
Styrene/acrylic acid copolymer, thermoplastic AIPNs of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
Styrene-butadiene rubber, poly(ethylene terephthalate)/styrene-butadiene rubber blend, properties and processing of, 1216
Styrene-co-acrylonitrile copolymer (SAN), polycarbonate/styrene-co-acrylonitrile copolymer blends, PC-PMMA block copolymer as compatibilizer, 2374
Styrene-ethylene-propylene rubber, fracture behavior of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
Surface properties
draft angle and surface roughness effects on stereolithography molds, 1581
of ethylene propylene diene rubber (EPDM), 1065
polyolefin blown films, surface topography and gloss of, 747
surface structure of isotactic polypropylene by x-ray diffraction, 336
TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
Surface tension, of polyethylene used in thermal coating, 1663
Surface treatment
plasma surface treatment of PCL/PC blend sheets, 2324
surface modification of plasma-pretreated HDPE films by graft copolymerization for adhesion improvement with evaporated copper, 1047
Swell grafting, peroxide-catalyzed swell grafting of maleic anhydride onto polypropylene, 1589
Swelling, extrudate swell in profile extrusion, 1085
Syndiotactic polypropylene (sPP), morphology-mechanical property relations in fibers, 567
Syndiotactic polystyrene (sPS), non-isothermal crystallization and multiple melting behavior of, 2397

T

Taguchi method
optimization of weldline strength in injection molded parts, matrix design for, 1256
optimizing the impact strength of rotationally molded parts, 473
Takayanagi model, dynamic mechanical modeling of polyetherimide (PEI)/dicyanate semi-IPNs, 665
Tape, weldability of polypropylene strapping tape, 2037
Temperature rising elution fractionation (TREF), dispersed phase morphology of impact PP copolymers, 1921
Tensile properties
anisotropy for uniaxially and biaxially drawn PET, 1619
characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
of LLDPE blown films, 2385
Tensile testing
of core-shell-rubber-modified epoxies, 70
high temperature deformation in polyoxymethylene, essential work of fracture concept and, 985
of polyoxymethylene, high temperature slow crack growth, 1306
tensile deformation of polyethylene, effect of strain rate, temperature, and molecular mass on, 481
Ternary blends
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
of poly(ethylene terephthalate)/polycarbonate/E-GMA-MA, morphology and impact toughness of, 786
Ternary composites, impact fracture behavior of PP/EPDM/glass bead ternary composites, 2105
Terpolymers, of methyl methacrylate,

N-phenylmalemide, and styrene, emulsion copolymerization of, 1226
Thermal coating, surface tension of polyethylene used in, 1663
Thermal cycling, relaxation and set in polycarbonate and polypropylene, 1495
Thermal degradation, of poly(methyl methacrylate with aluminum nitride and alumina, 2332
Thermally stimulated current, and blow molding condition in PET bottles, 391
Thermal properties
amorphous thermoplastic polyimide (TPI)/polymer liquid crystal (PLC) blends, thermal expansivity and conductivity of, 490
emulsion copolymers of methyl methacrylate, N-phenylmalemide, and styrene, 1226
of isobutylene based block copolymers, 2182
of Kevlar fiber/epoxy composites, 1725
mechanical and thermal anisotropy for uniaxially and biaxially drawn PET, 1619
of nylon 6/ABS polymer blends: compatibilizer effect, 1635
phosphorylation of phosphazenes, effect of on, 1177
of polyurethane elastomers containing starch, 1200
of silane grafted and silane grafted water crosslinked polypropylenes, 1534
Thermal stability
characterization of precursor polymers polyhydroxyamide and poly(amic acid), 320
of fluoro-polyetherimides, 1318
of polyphosphazenes, 1177
polyurethane/poly[bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465
terpolymers of methyl methacrylate, N-phenylmalemide, and styrene, emulsion copolymerization of, 1226
of Xydar and Zenite series LCPs, 841
Thermal welding, weldability of polypropylene strapping tape, 2037
Thermoforming
coupled thermo-mechanical analysis of, 1736
deformation of polyolefins at high temperature and strain rate, 1553
isothermal sagging resistance of polypropylene and ABS sheet, 1564
three-dimensional simulation, 2232
wall thickness distribution in food containers produced by aseptic packaging machine, 1
Thermogravimetric analysis, polyurethane/poly[bis(carboxylatophenoxy)phosphazene] blends as flame-retardant materials, 465
Thermo-mechanical analysis, plastic thermoforming, 1736
Thermoplastic apparent interpenetrating polymer networks (AIPNs), of polyurethane and styrene/acrylic acid copolymer by melt mixing, 2072
Thermoplastic elastomers (TPEs)
of isobutylene based block copolymers, 2182
melt spinning filaments from PBT based thermoplastic elastomers, 917
poly(butylene terephthalate) based TPE block copolymers, biaxially oriented films from, 2299
Thermoplastic polyolefins (TPOs), TPO/adhesion promoter/paint interface of painted thermoplastic polyolefins, 2000
Thermosetting polymers
degradation of aromatic polyethersulfone, kinetic study of, 1114
hybrid-particulate composites, micromechanical deformation mechanisms, 2457
modeling domain mixing in SIPNs of poly(vinyl chloride) and crosslinked thermosets, 2027
recycling of power transmission cable insulated with crosslinked polyethylene (XLPE), 863
relationship between isothermal and dynamic cure of thermosets via isoconversion representation, 607
SIPNs of poly(vinyl chloride)/thermosetting resin blends, 1405
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
Thin films
depth dependent polymer film photodegradation studies, 1747
plasma-polymerized benzonitrile films, preparation and characterization with ultrafast optical Kerr effect, 2551
solvent casting for particle/polymer composites, 139
Three dimensional printing, production of injection molding tooling with conformal cooling channels, 1232
Three-tip kneading block, mixing mechanism of in twin screw extruders, 168
Time-cure-temperature superposition, for prediction of instantaneous viscoelastic properties during cure, 1281
Time-resolved light scattering, blends of polypropylene grafted with maleic anhydride and zinc salt of sulfonated EPDM ionomer, 1816
Tooling
die geometry in profile extrusion, 1085
stereolithography injection molding, 1395
Toughening
core-shell-rubber-modified epoxies, 70
fracture behavior of styrene-ethylene-propylene rubber-toughened polypropylene, 1979
for hybrid-particulate composites, micro-mechanical deformation mechanisms, 2457
Izod impact strength of modified methyl methacrylate/styrene copolymer during molding and, 398
rubber modification of low temperature cure cyanate ester matrices in glass fabric composites, 1344
Toughness, rubber toughened and optically transparent blends of cyclic olefin copolymer, 2590
Transesterification, in triphenyl phosphite additivated-poly(ethylene terephthalate)/poly(ethylene naphthalate) blends, 1777
Transition metal-coordinated polymers, solid state complexes with metal chlorides from 1st row of d-block, 738
TREF, dispersed phase morphology of impact PP copolymers, 1921
Triarylsulfonium salts, two-component photoresists containing thermally crosslinkable photoacid generators, 1248
Triphenyl phosphite, transesterification in triphenyl phosphite additivated-poly(ethylene terephthalate)/poly(ethylene naphthalate) blends, 1777
Tube-in-orifice spinnerets, double-layer flow from tube-in-orifice spinnerets, numerical simulations of, 715
Tubes
melt tearing and ovality in tube coating, 1862
polymer blend de-mixing and morphology development of immiscible blends during tube flow, 2342
Tubular films
double bubble tubular film extrusion of poly(butylene terephthalate)/poly(ethylene terephthalate) blends, 902
single and double bubble tubular film extrusion of poly(ethylene naphthalate) (PEN), 1122
Turbulence, flocculants and drag reducing agents based on polysaccharides, 46
Twin screw extruders
3-D numerical simulations of non-isothermal flow in, 357
blending of immiscible polymers in mixing zone of: compatibilization and, 1143
devolatilization performance in intermeshing co-rotating twin-screw extruder with square-channel flighted element, 1833
distributive mixing in, kneading block design and operating conditions and, 1095
energy balance for metering zone of, 277
isothermal transient startup of a starved flow modular co-rotating twin screw extruder, 543
mean residence time analysis for, 227
mixing mechanism of three-tip kneading block in, 168
new partially biodegradable starch plastic by reactive extrusion, 2086
numerical simulation of pressure and velocity profiles in kneading elements of co-rotating twin screw extruder, 525
numerical simulations of kneading disc section in, 892
peroxide initiated controlled degradation of polypropylene in, modeling of, 344
plastics pulverization technology by extrusion, 676
Twin-screw extrusion
reactive extrusion of silanized polyeth-

ylene, 2524
ultrasonic in-line monitoring of, 82
Two-component photoresists, containing thermally crosslinkable photoacid generators, 1248
Two-dimensional flow, steady bi-directional drag flow of non-Newtonian liquids in shallow channels, 768

U

UHMWPE
auxetic microporous UHMWPE: mechanical properties, 1906
auxetic microporous UHMWPE: processing and microstructure, 1894
conductive composites of UHMWPE and ceramics based on segregated network concept, 36
fracture toughness of ductile polymers using essential work of fracture approach, 2558
HIPS/gamma-irradiated UHMWPE/carbon black blends, electrical properties of, 1015
non-Newtonian rheological behavior of semi-dilute UHMWPE solution in gel spinning, 2414
structural changes of gel drawn UHMWPE fibers with kerosene as solvent, 238
Ultrasonic welding, effects of shape of energy director on, 157
Ultrasound
in-situ monitoring of mechanical property buildup in epoxy adhesives using, 656
nondestructive testing of polyaramide cables by longitudinal wave propagation, 1628
ultrasonic in-line monitoring of polymer extrusion, 82
Ultraviolet radiation, UV irradiated space application polymers, characterization by spectroscopic ellipsometry, 300
Uniaxials tress, crystalline forms of isotactic polypropylene as function of cooling rate and uniaxial stress in thin and thick parts, 645

V

Vacuum assisted resin transfer molding (VARTM), spatial and temporal control of degree of cure, 1157
Van Gurp plots, rheological properties of polyethylenes, 2279
Vectra, barrier properties of blends based on liquid crystalline polymers and polyethylene, 1969
Vibration welding, of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175
Vinyl alcohol-ethylene copolymers, mechanical properties of, 1036
Vinyl-ester resin, thermo-chemical response of, 2489
Vinylsilane, grafting of to polyethylene, kinetics of, 2511, 2524
Viscoelasticity
melt viscoelasticity of poly(ethylene terephthalate) resins for low density extrusion foaming, 554
nonlinear viscoelasticity of LLDPE films, 507
post-yield behavior of thermoplastics and application to finite element analysis, 1190
of SIPNs of poly(vinyl chloride)/thermosetting resin blends, 1405
time-cure-temperature superposition for prediction of instantaneous viscoelastic properties during cure, 1281
viscoelastic predictive laws of linear polyurethane: rheological changes during bulk polymerization, 880
Viscosity
elongational viscosity and axisymmetric entrance flow of polymers, 23
mixing of PE/PS polymer blends of extreme viscosity ratio by solid-state shear pulverization, 1447
short-fiber reinforced PP, processing conditions and morphology of extruded filaments, 11
Viscous polymers, nonisothermal 2-D film casting of, 1870
Visual barrel, for study of reciprocating screw injection molding, 1334
Vitrified clay (VC), elastomeric joint performance of PVC, VC, and FRC pipes, 2217

W

Wall thickness, wall thickness distribution in thermoformed food containers produced by aseptic packaging machine, 1
Water-borne coatings, polymerically stabilized latex for use in, 1469
Water transport, in crosslinked 2-hydroxyethyl methacrylate (HEMA), 1004
Wear behavior, of poly(phenylene sulfide) filled with solid lubricants, 1825
Welding
effects of shape of energy director on far-field ultrasonic welding of thermoplastics, 157
friction welding of similar and dissimilar materials, 1931
optimization of weldline strength in injection molded parts, matrix design for, 1256
vibration welding of polycarbonate/acrylonitrile-butadiene-styrene blends to themselves and other resins and blends, 2175
weldability of polypropylene strapping tape, 2037
Wire coating
flaring dies to suppress die drool, 2113
melt tearing and ovality in, 1862
Wood fiber composites, foaming of polystyrene/wood fiber composites using moisture as blowing agent, 2124
Work of fracture
fracture toughness of polyethylene terephthalate glycol (PETG) film using essential work of fracture analysis, 310
load rate and fracture toughness of poly(butylene terephthalate), 132
strain rate dependence of work of fracture of an amorphous PEN film, 1809
work of fracture parameters in poly(butylene terephthalate), temperature dependence of, 1435

X

Xanthan gum, flocculants and drag reducing agents based on polysaccharides, 46
XLPE, recycling of power transmission cable insulated with, 863
X-ray diffraction, surface structure of isotactic PP by, 336

Y

Yield, modeling of in aliphatic polyketone terpolymer in multiaxial stress states, 2317

Z

Zinc glutarate derivatives, copolymerization of carbon dioxide and propylene oxide using, 1542

Author Index

Abate, L., 1114
Acierno, D., 108, 656
Adriani, V., 2046
Advani, S. G., 2356
Agarwal, N., 376
Ahn, K. H., 1376, 1385, 2232
Ahzi, S., 1716
Al-Aloush, I., 2442
Albertsson, A.-C., 143
Alderson, K. L., 1894, 1906
Alexeev, V. L., 1211
Allcock, H. R., 465, 1177
Allen, S., 1232
Al-Raqibah, I., 2442
Amaiwa, T., 365
Ammirati, C. C., 108
An, S. L., 238
Antonucci, V., 2471
Anzano, J. M., 2423
Arcella, V., 761
Arof, A. K., 972
Atarsia, A., 607
Aulagner-Revenu, P., 880
Aviel, O., 1915
Ayhan, Z., 1
Azemi, B. M. N., 1298

Bae, J. Y., 1542
Balke, S. T., 2342
Barboric, F., 573
Barbosa, S. E., 11
Bashir, Z., 2442
Bastian, M., 727
Belfiore, L. A., 738
Beltrán, M., 1534
Benard, A., 2356
Benavente, R., 1036
Berzin, F., 344
Bhattacharya, A. K., 1065
Bhattacharya, S. N., 1564, 1571
Bhattacharyya, A., 2498
Biagiotti, J., 2194
Bigio, D., 227
Bogetti, T. A., 2489
Boiteux, G., 36
Boogh, L., 1281
Bouchet, J., 36
Boukhili, R., 607
Brandi, S. D., 1663
Brandolin, A., 1480
Bravo, V. L., 525, 892
Bretas, R. E. S., 1414
Breuer, O., 1015
Briatico-Vangosa, F., 1553
Briber, R. M., 227
Brinati, G., 761
Bronnikov, S. V., 1211
Brostow, W., 490
Brovko, A. A., 2072
Brucato, V., 1263, 2430
Buckmaster, M., 179
Bungay, C. L., 300
Burford, R. P., 2311
Burn, L. S., 2217, 2407

Cai, J. J., 118
Capaccio, G., 627, 635
Capiati, N., 1921
Carriere, C., 499
Carrot, C., 36, 880
Cassagnau, P., 880
Castaño, V. M., 2101
Castro-Rodríguez, R., 2272
Cedorge, T., 1581
Cerrada, M. L., 1036
Chabert, B., 2058
Chalamet, Y., 263
Chang, B. C., 157
Chang, J.-H., 320, 1256
Chang, T., 1542
Chao, S.-M., 583, 595
Char, K., 1376, 1385
Chen, C.-C., 441
Chen, H., 2551
Chen, S.-C., 583, 595
Chen, X., 1334, 1606
Chien, L.-H., 157
Chien, R.-D., 595
Ching, E. C. Y., 310, 2558
Chiu, F.-C., 2397
Cho, K., 1672
Cho, W.-J., 1816
Cho, Y.-W., 1816
Choe, S., 1672
Choi, C.-H., 645
Choi, W.-J., 665
Choi, W. Y., 1996
Chomier, D., 2058
Chou, K. F., 1004, 1025
Choudhury, N. R., 1065
Christiano, J. P., 2014
Chu, J., 944
Chuah, Y. K., 157
Chue, H.-C., 1783
Chung, C.-M., 1248
Chung, D. D. L., 1505
Chung, T.-S., 841, 1318
Cima, M., 1232
Coleman, M. M., 465
Colton, J. S., 1360, 1395, 1581
Cools, P. J. C. H., 1596
Crawford, R., 1758
Cruz, J., 1216
Czigány, T., 1809

Da Silva, F. T., 1663
Da Silva, L., 1414
De Graaf, R. A., 2086
Delamare, L., 344
Del Amo Fernández, B., 1480
De La Orden, M. U., 407
Delaunay, D., 1682, 1692
Delides, C. G., 2072
Delvael, Y., 1628
Demarquette, N. R., 1663
Denn, M. M., 1132
Desai, S., 1200
Devi, S., 1200
Devries, M. J., 300
Dey, S. K., 554
Diao, F. X., 1736
Dias, M. L., 1777, 2482
Di Maio, L., 108
Dimopoulos, M., 1065
Ding, F., 507, 2113
Dioh, N., 2000
Di Vita, G., 2471
Donoian, G., 2014
D'Oria, F., 1553
Douillard, A., 2058
Doyle, M. J., 330
Drozdov, A. D., 818
D'Souza, N. A., 490
Duckett, R. A., 627, 635
Duever, T. A., 992
Dufossé, P., 344
Dupuy, J., 690
Dutta, N. K., 1065
Dworak, B. J., 300

Einsporn, R. L., 2577
Elkovitch, M. D., 1850
Ellis, J. W., 1619
English, R. J., 1469
Eom, Y., 1281
Epacher, E., 1458
Estrada, M. R., 1216
Evans, K. E., 1894, 1906
Evmenenko, G. A., 1211

Fambri, L., 127
Farris, R. J., 320, 376
Favelukis, M., 1350
Fernandes, M. J. A., 2482
Fernández, M. R., 95
Ferreira, M., 1628
Fesko, D. G., 1190, 1495
Field, G. J., 1564
Fink, B. K., 2489
Flodberg, G., 1969
França, D. R., 82
Franzheim, O., 1143
Frigione, M., 656
Fu, B., 2133
Fu, Q., 2397
Fukuoka, T., 2511, 2524
Fulchiron, R., 1682, 1692, 2058
Funatsu, K., 168, 357, 365, 715
Furgiuele, N., 1447

Gander, J. D., 2113
Gao, F., 1334
Gao, J., 227

Indexed by Janet Perlman, Southwest Indexing, 610 East Bell Road, Suite 2-157, Phoenix, AZ 85022, (602) 569-7302.

Gaymans, R. J., 256
Gaztelumendi, M., 430
Gedde, U. W., 143, 1969
Geiger, K., 1643
Geiger, N., 1758
Gendron, R., 82
Georgoussis, G., 2072
Giacomin, A. J., 507, 1862, 2113
Gifford, W. A., 2095
Gillespie, J. W., Jr., 2489
Giordano, M., 2471
Goh, S. H., 1318
Goizueta, G., 1921
Golob, J., 573
Gómez Ribelles, J. L., 1725
Gonzalez, P., 139
González Sánchez, C., 407
Gopalanarayanan, B., 490
Gornushkin, I. B., 2423
Göschel, U., 1596
Gouvea, D., 1663
Greco, R., 1701
Gregory, R. V., 1716
Grigoryeva, O. P., 2072
Grizzuti, N., 2262
Guigley, K. S., 465
Guillet, J., 36, 880
Guo, H., 1232
Guodong, L., 1226
Gupta, M., 23, 776

Ha, C.-S., 1816
Hade, A. J., 1862
Hama, T., 391
Hamberg, M. J. J., 256
Han, C. C., 1004
Han, R., 776
Harcup, J. P., 627, 635
Hashemi, S., 132, 798, 1435
Hashimoto, T., 391
Hatzikiriakos, S. G., 179, 2279
Haward, R. N., 481
Hawley, M. C., 2133
Haworth, B., 1953
Hayes, B. S., 1344
He, Y., 2551
Hellman, A., 143, 1969
Helminen, A., 1655
Hemsley, D. A., 2037
Hendenqvist, M. S., 143, 1969
Henry, D. L., 179
Hillmansen, S., 481
Hirotsu, T., 2324
Ho, C.-T., 290
Ho, H.-Y., 1085
Ho, J.-C., 929
Ho, K. S., 418
Hobeika, S., 481
Hoffman, M. J., 2311
Hollis, R. D., 944
Hrymak, A. N., 525, 892
Hsieh, T. H., 418
Hu, S.-Y., 595
Hu, X., 2551
Huang, J., 1606
Huang, T., 747, 1796
Huerta-Martínez, B. M., 2241
Hung, S.-W., 1256
Hurley, D. H., 1157
Hwang, W. R., 702
Hwang, Y.-T., 1542

Iavarone, M., 1701
Ibrahim, M., 2442
Iketani, T., 1369
Im, S. S., 247, 2539
Imaizumi, M., 2602
Inberg, J. P. F., 256
Inohara, K., 2602
Inoue, T., 1816
Ishiaku, U. S., 1298
Ishikawa, T., 357, 365
Ivanov, G. K., 676
Iversen, T., 143
Jacob, K. I., 2356
Jacob, M. M. E., 972
Jacobs, E., 490
Jaffer, S. A., 892
Jain, S. K., 46
Jaisankar, S. N., 621
Jang, S. P., 1635
Janssen, L. P. B. M., 2086
Japon, S., 1942
Jen, C.-K., 82
Jia, G. X., 238
Jin, X., 841
Jin, Z., 1334
Jung, J. H., 1542
Jungang, G., 1226

Kabanemi, K. K., 826
Kakavas, P. A., 1330
Kamal, M. R., 747, 1796
Kammer, H. W., 1298
Kanan, K., 46
Kanazawa, S.-I., 809
Kang, E. A., 2374
Kang, E. T., 1047
Karami, A., 2342
Karger-Kocsis, J., 1809
Karmakar, G. P., 46
Karmakar, N. C., 46
Kartalis, C. N., 979
Karttunen, N. R., 2317
Katsuki, S., 168
Kausch, H.-H., 985, 1306
Kearns, M., 1758
Kelberg, E. A., 1211
Kenny, J. M., 11, 2194
Ketelaars, A. A. J., 2324
Khait, K., 1447
Khan, S. A., 1469
Khanarian, G., 2590
Kiflie, Z., 1263
Kihara, S.-I., 168, 357, 365, 715
Kikuchi, T., 1878
Kim, C. K., 2374
Kim, D., 1635
Kim, D. S., 1429, 2205
Kim, E. K., 543
Kim, J. H., 2374
Kim, J.-H., 1783
Kim, J. W., 2539
Kim, S.-C., 665
Kim, S. H., 2539
Kim, S. W., 857
Kim, Y., 1816
Kim, Y. H., 2539
Kim, Y.-S., 665
Kitamura, M., 2007
Kitamura, T., 809
Ko, T.-M., 1589
Kolařík, J., 127
Koncar, V., 1628
Koyama, K., 1878
Krajnc, M., 573
Krishnamoorti, R., 2182
Krishnaswamy, R. K., 2385
Kröhnke, C., 1458
Krook, M., 143
Kurosaki, Y., 2161
Kurumada, K.-I., 809
Kwag, H., 1672
Kwak, G.-H., 2569
Kwon, T. H., 702
Kylma, J., 1655

La Carrubba, V., 2430
Lai, C.-C., 473
Lai, E., 1074
Lamborn, M. J., 2385
Lam, T. M., 1628
Lam, Y. C., 1273
Lan, N. T., 46
Lan, S. K., 507
Lang, R. W., 985
Lau, H. C., 1564
LeBaut, Y., 1360
Le Bot, P., 1682, 1692
Lebovitz, A. H., 1447
Lechuga Munguía, M. A., 407
Lee,, J. W., 2232
Lee, B., 1996
Lee, B. H., 1672
Lee, C. H., 857
Lee, C.-L., 929, 935
Lee, G. J., 247
Lee, H. S., 1132
Lee, J., 2457
Lee, J. K., 1783
Lee, J.-R., 2569
Lee, J. W., 2232
Lee, L. J., 1850
Lee, S., 1004, 1025, 2577
Lee, W.-S., 1085
Lee, Y.-M., 2332
Leevers, P. S., 481
Lei, J., 1529
Lesser, A. J., 2317
Leterrier, Y., 1942
Li, H., 917, 2299
Li, M., 1606
Li, R. K. Y., 310, 2105, 2558
Li, Y., 1989
Liang, J. Z., 2105
Lin, C. B., 1931
Lin, C.-M., 290
Lin, J. S., 2241
Lin, S.-J., 473
Lin, S.-T., 473
Lindt, J. T., 768
Liting, Y., 1226
Liu, L., 168
Liu, S., 1606
Liu, S.-J., 157, 473, 1256
Liu, W., 1825
Liucheng, Z., 1226
Loos, J., 567
López Manchado, M. A., 2194
López-Rodrigiez, A., 1480
Lu, J. P., 2217, 2407
Luo, X., 1505
Luprano, V. A. M., 656
Luye, J. F., 1682, 1692

Maazouz, A., 690
McBrearty, M., 201, 214
Maccone, P., 761
McCurdie, M. P., 738
McElrath, K. O., 2182
Macknight, W. J., 1143
Macosko, C. W., 2205
Maffettone, P. L., 2262
Maffezzoli, A., 656
Mai, Y.-W., 310, 786, 2558
Makradi, A., 1716
Mallette, J. G., 2272
Manan, B. D. M., 1298

Manero, O., 1216, 2272
Månson, J.-A., 1281, 1942
Markovic, M. G., 1065
Márquez, A., 2272
Martínez Urreaga, J., 407
Masuoka, H., 1369, 1510, 2602
Matias, M. C., 407
Matisons, J. G., 1065
Matsumoto, T., 336
Matuana, L. M., 2124
Medellín-Rodríguez, F. J., 2241
Merino, J. C., 95
Mewes, D., 277
Michaud, V., 1281
Michel, A., 880
Micic, P., 1571
Mijangos, C., 1534
Min, H.-S., 665
Mirabella, F. M., 2000
Miyagawa, E., 2007
Miyazaki, M., 168
Modesti, M., 2046
Modi, M. A., 2182
Monleón Pradas, M., 1725
Montagna, G., 656
Moon, S.-Y., 1248
Morikawa, J., 391
Mottahed, B. D., 61
Murase, H., 2414

Nagata, T., 1107, 1843
Nakamae, K., 336
Nakayama, K., 2324
Nam, G. J., 2232
Nam, J. H., 857
Narasimhan, B., 2251
Narisawa, I., 398
Narkis, M., 1015, 1522, 1915
Navarro-Rodríguez, D., 2241
Nazábal, J., 430
Neoh, K. G., 1047
Nepotchatykh, O. V., 1747
Ng, C. M., 1047
Nguyen, K. T., 82
Nguyen, T. N., 1643
Nicolais, L., 2471
Ning, P., 1589
Nishino, T., 336
Nitta, K.-H., 2007

Odusanya, O. S., 1298
Oei, H. P., 1047
Oh, S. Y., 2374
Ohshima, M., 809, 1107, 1843
Ohta, Y., 2414
Okabe, S., 809
Oliveira, M. J., 2037
Olson, L. G., 1758

Pae, K. D., 1783
Pai, V., 1350
Palmer, A. E., 1395
Panda, J., 46
Pandey, S. R., 46
Pandya, K. C., 1765
Papaspyrides, C. D., 979
Pappalardo, A., 1114
Park, C. B., 2124
Park, J. W., 2539
Park, S.-J., 2569
Parker, G. A., 1344
Pastor, J. M., 95
Pegoretti, A., 127, 2227
Penati, A., 127
Peng, C.-G., 2397
Perdikoulias, J., 1056
Pereña, J. M., 1036
Pérez, E., 1036
Perusich, S., 201, 214
Philippoz, J.-M., 1306
Piccarolo, S., 1263, 2430
Picot, J. J. C., 1619
Pillai, K. M., 2356
Pineri, M., 36
Pissis, P., 2072
Pittman, C. U., Jr., 1405, 2027
Plummer, C. J. G., 985, 1306
Poon, W. K. Y., 2558
Porcayo-Calderon, J., 2101
Potente, H., 727
Power, J. F., 1747
Pukánszky, B., 1458

Quintans, J., 554

Radhakrishnan, G., 621
Radonjič, G., 2144
Rahman, M. D., 2251
Ramírez-Vargas, E., 2241
Rana, D., 1672
Randa, S. K., 179
Rath, S. K., 46
Raymond, C. L., 1953
Recca, A., 1114
Ree, M., 1542
Reed, C. S., 465
Regnier, G., 1682, 1692
Rejón, L., 2101
Rey, A. D., 747
Rhee, H. W., 2374
Rhee, J., 1672
Riccò, T., 2227
Rink, M., 1553
Rische, T., 1143
Rizvi, G., 2124
Rosas-Zavala, A., 2101
Rosenbaum, E. E., 179
Rwei, S.-P., 191

Sachs, E., 1232
Sadiku, E. R., 1969
Salloum, G., 826
Salovey, R., 118
Sánchez-Solís, A., 1216
Sarawade, B. D., 1200
Sarmoria, C., 1480
Sato, Y., 1369, 1510, 2602
Satoh, I., 2161
Satoto, R., 391
Scaramuzzino, P., 985, 1306
Schimanski, T., 567
Schruben, D. L., 139
Seferis, J. C., 1344
Segal, E., 1915
Seldén R., 1165
Seo, Y., 1293
Seow, L. W., 1273
Seppälä, J. V., 1655
Sergeeva, L. M., 2072
Seytre, G., 36, 690
Shaffer, T. D., 2182
Shaw, M. T., 863
Shay, J. S., 1469
Shearer, G., 1095
Shi, L., 776
Shin, J. H., 1429
Shin, T. J., 1542
Shogren, R. L., 499
Shtompel, V. I., 2072
Shull, P. J., 1157
Sidiropoulos, V., 1611
Siegmann, A., 1015
Silva, A. P. F., 1777
Simioni, F., 2046
Singh, R. P., 46
Šmit, I., 2144
Smith, B. W., 2423
Smith, S., 1870
Son, Y., 1376, 1385
Song, K., 902, 1122
Song, Y., 1736
Spicer, J. B., 1157
Spicer, J. W. M., 1157
Srivastava, S., 1522
Steinberger, R., 985
Stephan, M., 1143
Stewart, C. W., 179
Stokes, V. K., 2175
Stolle, D., 1870
Stone, M. A., 2489
Strutt, D., 992
Suay Antón, J. J., 1725
Sue, H.-J., 944, 1979
Sugiyama, H., 2414
Suh, K. D., 247
Suh, K. S., 857
Sumarno, 1510
Sumita, M., 2569
Sunada, T., 1510
Sunderland, P., 1281
Sutherland, I., 1953

Taha, M., 263
Takaki, A., 398
Takasugi, M., 2602
Takimoto, J.-I., 1878
Takishima, S., 1369, 1510, 2602
Tan, K. H., 956
Tanaka, A., 2007
Tanifuji, S.-I., 1878
Tanigaki, M., 809, 1107, 1843
Taylor, J. P., 465, 1177
Tchoudakov, R., 1015, 1522
Teh, J., 747
Tenge, S., 277
Thakore, I. M., 1200
Thompson, M. R., 2014
Tiganis, B. E., 2407
Tiwald, T. E., 300
Tjong, S. C., 2105
Tobushi, H., 2498
Toghiani, H., 1405, 2027
Tomasko, D. L., 1850
Torkelson, J. M., 1447
Torre, L., 2194
Tredoux, L., 2161
Tripathy, T., 46
Tse, M. F., 2182
Tucker, J. D., 2577
Tuominen, J., 1655
Tzoganakis, C., 992, 1056, 1095

Uno, H., 2007

Varlet, J., 2058
Vatalis, A. S., 2072
Vergnes, B., 263, 344
Verzelli, A., 1553
Viswanath, D. S., 2332
Vlachopoulos, J., 1611
Vora, R. H., 1318

Wagenblast, J., 863
Walker, J. K., 1996
Walsh, G. C., 227
Walther, T., 1643
Wanat, S. F., 2251
Wang, G., 1606

Wang, H., 826
Wang, H.-C., 2182
Wang, L., 499, 747, 1405
Wang, N. H., 1833
Wang, S.-M., 583
Wang, T. L., 418
Wang, Y. Z., 418
Wang, Z. R., 1736
Ward, I. M., 627, 635
Watanabe, H., 715
Webber, R. S., 1894, 1906
Wei, G.-X., 1979
Wei, K.-H., 929, 935
Weiss, R. A., 275
Weng, C.-I., 290
Wetzel, M. D., 227
White, C. C., 863
White, J. L., 543, 645, 902, 917, 1122, 2299
Whiteley, K. S., 1480
Whittle, A. J., 2217, 2311
Williams, J. G., 1765
Winefordner, J. D., 2423
Won, J. C., 2058
Woo, T., 1672
Wood, P. E., 892
Woollam, J. A., 300
Wright, J. D., 525, 892
Wu, J., 786
Wu, J.-Y., 1256
Wu, L. C., 1931
Wu, S. Y., 1047
Wylonis, E., 1232

Xanthos, M., 554
Xiang, C., 944
Xiao, C. F., 238
Xiao, K., 70, 2288
Xu, X., 1405, 2027
Xue, P., 786
Xue, Q., 1825

Yamamoto, H., 2602
Yamazaki, K., 398
Yan, D., 1989
Yan, Y. N., 1736
Yang, S., 1825
Yano, K., 365
Yasuda, H., 2414
Ye, L., 70, 2288
Yee, A. F., 2457
Yilmazer, U., 554
Yoshinaga, M., 168
Yu, D. W., 1074
Yu, L., 1825
Yuen, M. F., 956

Zacur, R., 1921
Zhang, K. F., 1736
Zhang, M. C., 1047
Zhang, Q. H., 1
Zhang, R. J., 1736
Zhang, Y. F., 238
Zhang, Z., 1350
Zhao, L., 2113
Zhao, X., 2551
Zhou, R., 1529
Zhu, X., 1989
Zimba, C. G., 2000
Zimich, O. N., 2072
Znoj, B., 573